

Brand: Zintra








STANDARD / SQUARE





Standard is a Zintra Baffle System with a straight shape, noise reducing replacement to mineral fibre ceiling systems. Available in 24 colourways.

Absorbs Noise	Bleach Cleanable	Environmentally Friendly
Extended Warranty	Solution Dyed Yarns	
Description	Baresque's Zintra Acoustic Baffles are an innovative replacement to a mineral fi lay system. Easy to assemble, easy to install and available in a large array of designs, baffles are ideally suited to large noisy spaces in educational institution shopping centres, restaurants and airports. Baffles use at least 1 sheet of Zintra Acoustic Panel and an NRC of 0.95.	
	Find out more about the Benefits of 2 tab.	Zintra and its NRC rating on the DOWNLOAD
Product Code	ZI.BA.ST	



Dimensions	Available in 2 sizes, Small Baffle and Large Baffle. Available in 4.8" (120mm) or 9.5" (240mm) high Small 48" (1220mm ) w x 48" (1220mm) d x 4.8" (120mm) h Large 48" (1220mm ) w x 108" (2745mm) d x 9.5" (240mm) h
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester. 2.3 kg/m²
Environmental Info	Easily recycled through standard recycling channels
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings. Classification - Group 1 Specific Extinction - Less than 250m²/kg
Warranty	5-year warranty. Visit <b>baresque.com.au/warranty</b> for complete details.
Lead Time	• 3-4-weeks. • Additional 1-week for Western Australia.
Suggested Installation	Be sure to support Baffles during installation to avoid bowing or creasing. Slide Baffles onto notched Square Tube to position it into place. Fix Adjustable Cables to ceiling. Adjust cables to complete installation. Download the Handling and Installation guide for full instructions.



Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Additional Comments	NRC - 0.9.
	1110 - 0.3.
	Indoor only.
	Indoor only.
	Indoor only. Only available from Zintra Acoustic Panel 12mm.

