

Wallcoverings » Commercial Wallcoverings



Brand: Genon



Wallcoverings » Commercial Wallcoverings





Wallcoverings » Commercial Wallcoverings



Wicker Park is a Type II wallcovering with a classic design inspired by warm elements. Available in 13 colourways.

Low VOC	Bleach Cleanable	Anti-Microbial
Description	Wicker itself is a staple in the design world, with a centuries-old history. Wicker Park weaves together serious texture, warm natural elements, and classic design. A palette honed to shades that embody the relaxed, organic personality inherent in this material. Whether you're looking for a hint of California cool, New England charm, Southern hospitality, or a wallcovering that warmly envelops the space, Wicker Park brings the vibes.	
Roll Size	137cm wide x 27.4m - Available by the lineal metre	
Composition	Type II Wallcovering Osnaburg Backing	



Wallcoverings » Commercial Wallcoverings

Sustainability	• Low VOC	
	• 10% Recycled content	
	• Non-Phthalate	
	• EPD / HPD	
	It is the policy of J. Josephson, Inc. to ensure that the activities, products, and services carried out here will be appropriate toward meet-and-exceed compliance with relevant environmental legislation and regulations and other requirements to which it subscribes.	
	We recognize the interrelationship of productive efficiency with environmental impact. Therefore, while our commitment to the customer is still a top priority, we will also work toward continuous improvement and pollution prevention. To achieve this, we will also set and review environmental objectives and targets within the framework of a documented, implemented and effectively communicated program.	
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.	
	The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg	
Warranty	5-year warranty. Visit <b>baresque.com.au/warranty</b> for complete details.	
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability.	
	<ul> <li>Additional 1-week for Western Australia.</li> </ul>	
	• Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.	
Suggested	Reverse hang / overlap and double cut.	
Installation	Baresque recommends and supply Roman brand adhesives and primers.	



Wallcoverings » Commercial Wallcoverings

Care Instructions	Always use a clean, white, soft cloth.	
	Use cloth with any of the following in preferred order of us:	
	1: Clear warm water	
	2: Mild solution of liquid detergent and warm water	
	3: Isopropyl Alcohol (a.k.a. rubbing alcohol)	
	4: Do not use solvent based cleaning agents, lacquer thinners, nail polish remover, pine oil or cleaning agents containing bleach, which may cause discoloration over a period of time.	
	5: It is recommended that cleaning be done with a natural sponge. A cloth or towel should only be used to tamp dry (not rub). Do not use manmade (i.e. polyester) sponges.	

