

Brand: Koroseal



## COLOURWAY CARD





HA21-01 CLOUD 9



HA21-02 COOL CAT



HA21-03 MILKGLASS



HA21-04 MADE IN THE SHADE



HA21-05 GINGER



HA21-06 HORIZON



HA21-07 CANARY



HA21-08 MORNING CALM



HA21-09 THUNDERCLOUD



HA21-10 WASABI



HA21-11 SPRUCE



HA21-12 ROBIN'S EGG



Harriet is a Type II Wallcovering with a structured geometric pattern that's available in 12 colourways. Coordinates with Oliver.

Low VOC	Bleach Cleanable	Anti-Microbial
Description	Harriet's graphic mix of colours infuses a room with playful personality and demension through structured geometric shapes, creating a stylish expression	
	Colourways range from comfortable,	neutral tones to striking accent colours

demension through structured geometric shapes, creating a stylish expression. Colourways range from comfortable, neutral tones to striking accent colours reflecting an organic and versatile palette. The use of colour emphasizes different effects of the design: subtle shades create a soft effect while more contrasting tones give a room a dramatic feel. Harriet's substrate and coordinating pattern, Oliver, provides a clean, textural emboss that complements the design and brings it to the next level.

Roll Size	137cm wide x 27.4m -	<ul> <li>Available by</li> </ul>	v the lineal metre
-----------	----------------------	----------------------------------	--------------------

Composition Type II Wallcovering

Non-woven backing

Pattern Repeat Size 132cm H x 61cm V



Environmental Info	Formaldehyde free
	Heavy metals free
	Perfluorooctanoic acid free
	No solvent inks
	Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.
	Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.
	Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.
	The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg
Warranty	5-year warranty. Visit <b>baresque.com.au/warranty</b> for complete details.
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability.
	Additional 1-week for Western Australia.

and pricing.

• Express delivery is available subject to a surcharge. Contact Baresque for details

Non-reverse hang alternate drops/straight across match/overlap and double cut.

Baresque recommends and supplies Roman brand adhesives and primers.



Suggested

Installation

## Care Instructions

Use cloth with any of the following in preferred order of use:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.