

IN MOTION

Wallcoverings » Commercial Wallcoverings



Brand: **Symphony**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 5

IN MOTION

Wallcoverings » Commercial Wallcoverings

**COLOURWAY
CARD**

COLOURWAY CARD

**COLOURWAY
CARD**


COLOURWAY CARD



AZ53735 WISPY
WHITE



AZ53736 MOONLIGHT




AZ53737 ARTIC GREY




AZ53738 TEAL WAVES



AZ53739 CREAM
SHEEN



AZ53740 GOLDEN
CASCADE



AZ53741 BLACK
BEAUTY

IN MOTION

Wallcoverings » Commercial Wallcoverings



In Motion is a Type II Wallcovering full of movement and expression that's available in 7 colourways.

● Low VOC

● Anti-Microbial

● Phthalate Free

Description

This wallcovering trend is about expression, movement, and organic free-forming brushstrokes. Inspired by the repetition and colour within Art Deco design, In Motion captivates with intriguing depth and a layered approach.

The deliberate brush strokes speak of intent and confidence while hinting at movement with an almost tropical feel of swaying palm branches. In Motion has seven colorways, offering soft options such as Wispy White or the chance to be daring with high contrast options like Black Beauty.

This pattern will undoubtedly set those mental design wheels In Motion!

Roll Size

132cm wide X 27.4m- Available by the lineal metre.

Weight

678 g/m2

Composition

Type II Wallcovering.
Vinyl face on a non-woven backing

Pattern Repeat Size

45.7 cm H 43.9 cm W, Half drop

IN MOTION

Wallcoverings » Commercial Wallcoverings

Environmental Info

Formaldehyde free

Heavy metals free

Perfluorooctanoic acid free

No solvent inks

Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.

Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.

Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:

Classification - Group 2

Specific Extinction - Less than 250m²/kg

Warranty

5-year warranty. Visit baresque.com.au/warranty for complete details.

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
 - Additional 1-week for Western Australia.
 - Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
-

Suggested Installation

Non-reverse hang alternate drops/straight across match/overlap and double cut.

Baresque recommends and supplies Roman brand adhesives and primers.

IN MOTION

Wallcoverings » Commercial Wallcoverings

Care Instructions

Always use a clean, white, soft cloth.

Use cloth with any of the following in preferred order of us:

1: Clear warm water

2: Mild solution of liquid detergent and warm water

3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

4: Do not use solvent based cleaning agents, lacquer thinners, nail polish remover, pine oil or cleaning agents containing bleach, which may cause discoloration over a period of time.

5: It is recommended that cleaning be done with a natural sponge. A cloth or towel should only be used to tamp dry (not rub). Do not use manmade (i.e. polyester) sponges.

Additional Comments

Inherent anti-microbial protection

Withstands hospital-grade cleaners & disinfectants
