

AEBERSOLD VANTAGE II

Wallcoverings » Advanced Wall Protection



Brand: **Versa**

AEBERSOLD VANTAGE II


Wallcoverings » Advanced Wall Protection

COLOURWAY CARD

COLOURWAY CARD



AVF28-061-ASP
ALLEYWAY




AVF28-147-ASP
BUCLEY




AVF28-182-ASP
MACAROON



AVF28-192-ASP
CASHMERE




AVF28-213-ASP
HONEYDEW



AVF28-373-ASP
INDIGO




AVF28-405-ASP
HEIRLOOM



AVF28-634-ASP
MUDROOM




AVF28-687-ASP
CHATEAU



AVF28-831-ASP
SOIREE




AVF28-859-ASP
SILHOUETTE



AVF28-860-ASP
GREYHOUND

AEBERSOLD VANTAGE II

Wallcoverings » Advanced Wall Protection



Aebersold elevates walls with layered stitching and linen accents. Durable and easy-clean, it's a stylish and practical choice.

- | | | |
|------------------------|----------------------|-------------------|
| ● Bleach Cleanable | ● Chemical Resistant | ● Stain Resistant |
| ● 20% recycled content | ● PVC-Free | ● Phthalate Free |
| ● HPD Certified | ● Low VOC | |

Description	<p>Aebersold is a stylish woven design with layered stitching details and complementary linen emboss.</p> <p>The 12-SKU neutral palette ranges from light to dark colorways and includes soft blue and green hues.</p> <p>Part of the Vantage II wall protection collection, Aebersold features Assure Surface Protection, a protective treatment for enhanced surface durability and exceptional cleanability.</p> <p>PVC-free Olefin composite; 20% recycled content; Type II 20 oz.; Osnaburg backing; reverse hang / random match installation.</p>
-------------	---

Roll Size	132/137cm x 27.4m - Available by the lineal metre.
-----------	--

Weight	452 g/m²
--------	----------

AEBERSOLD VANTAGE II

Wallcoverings » Advanced Wall Protection

Composition	Vinyl face on fabric backing 20% recycled content and olefin composite - weight 20 oz (452 g/m ²)
Pattern Repeat Size	Not Applicable
Environmental Info	<p>Formaldehyde free</p> <p>Heavy metals free</p> <p>Perfluorooctanoic acid free</p> <p>No solvent inks</p> <p>Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.</p> <p>Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.</p> <p>Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.</p>
Fire Rating	<p>Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.</p> <p>Classification - Group 3</p> <p>Specific Extinction - Less than 250m²/kg</p>
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.
Lead Time	<ul style="list-style-type: none">• 2-weeks (approx.) from Wednesday, subject to stock availability.• Additional 1-week for Western Australia.• Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Suggested Installation	<p>Reverse hang / overlap and double cut.</p> <p>Baresque recommends and supply Roman brand adhesives and primers.</p>

AEBERSOLD VANTAGE II

Wallcoverings » Advanced Wall Protection

Care Instructions

Always use a clean, white, soft cloth.

Use cloth with any of the following in preferred order of us:

1: Clear warm water

2: Mild solution of liquid detergent and warm water

3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
