

PRIMA SILK

Wallcoverings » Commercial Wallcoverings



Brand: **Symphony**

PRIMA SILK

Wallcoverings » Commercial Wallcoverings

COLOURWAY CARD

COLOURWAY CARD



AZ53615 PERFECT
WHITE



AZ53616 GREY PEARL



AZ53617 CLAM UP



AZ53618 MIDNIGHT



AZ53619 BABY'S
BREATH



AZ53620
MOONSTRUCK



AZ53621 STONE
MASON



AZ53622 CARBON
DATING



AZ53623 BONE



AZ53624 CASHMERE




AZ53625 TOUCH OF
TAN



AZ53626 DUSTY
TRAIL



AZ53627 CREAM



AZ53628 GOLDEN



AZ53629 MUSHROOM



AZ53630
CARAMELIZED



AZ53631 GARDENIA



AZ53632 BLUSHING
ROSE



AZ53633 CRANBERRY



AZ53634 COPPER
TINT



AZ53635 OASIS



AZ53636 BLUEBIRD



AZ53637 DARK
LAGOON



AZ53638 EVERGREEN

PRIMA SILK

Wallcoverings » Commercial Wallcoverings



prima-silk-promo-2.jpg



prima-silk-promo-3.jpg



prima-silk-promo-4.jpg

PRIMA SILK

Wallcoverings » Commercial Wallcoverings

Prima Silk is a 137cm wide commercial wallcovering with subtle highlights and soft metallic threads that's available in 23 colourways.

✓ **Bleach Cleanable**

✓ **Low VOC**

Description

Prima Silk, a true mimicry of dupioni silk with its quintessential nubby texture, subtle highlights and soft metallic threads that appear to weave.

their way across the warp. Offered in 24 colours that strike the right note between saturation and restraint.

Roll Size

137cm wide x 27.4m - Available by the lineal metre

Composition

Vinyl face on a fabric backing Equivalent to 20oz (452g/m²)

Environmental Info

Formaldehyde free

Heavy metals free

Perfluorooctanoic acid free

No solvent inks

Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.

Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.

Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:

Classification - Group 2

Specific Extinction - Less than 250m²/kg

Warranty

5-year warranty. Visit [baresque.com.au/warranty](https://www.baresque.com.au/warranty) for complete details.

PRIMA SILK

Wallcoverings » Commercial Wallcoverings

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
 - Additional 1-week for Western Australia.
 - Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
-

Suggested Installation

Reverse hang / overlap and double cut.
Baresque recommends and supply Roman brand adhesives and primers.

Care Instructions

Use cloth with any of the following in preferred order of use:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

PRIMA SILK

Wallcoverings » Commercial Wallcoverings

Colour & Finish Options