

# CLASSIC WOOD

Wallcoverings » Architectural Film



Brand: **Reatec**

# CLASSIC WOOD

Wallcoverings » Architectural Film



TC4151



TC4155



TC4156



TC4157




TC4158



TC4161




TC4164



TC4165




TC4166



TC4167



TC4169



TC4170



TC4171



TC4173




TC4174




TC4175



TC4177



TC4178



TC4181



TC4182



TC4188



TC4190



TC4193



TC4194



TC4196

# CLASSIC WOOD

Wallcoverings » Architectural Film



TC4197



TC4198



TC4200



TC4204



TC4205



TC4208



TC4210



TC4211



TC4212



TC4215



TC4218



TC4221



TC4222




TC4223



TC4224



TC4225




TC4231



TC4233



TC4235



TC4238



TC4240



TC4241



TC4242



TC4244



TC4246

# CLASSIC WOOD


Wallcoverings » Architectural Film



TC4247



TC4249



TC4251



TC4254



TC4255



TC4256



TC4257



TC4258



TC4260




TC4261



TC4262



TC4263



TC4265




TC4269



TC4270



TC4272



TC4273



TC4277



TC4278



TC4280



TC4282



TC4284



TC4286



TC4288



TC4289

# CLASSIC WOOD

Wallcoverings » Architectural Film



TC4296



TC4299



TC4301



TC4303



TC4304



TC4305



TC4307



TC4308



TC4309



TC4310



TC4311



TC4313



TC4315



TC4316



TC4317



TC4321



TC4322



TC4323



TC4324



TC4327



TC4328



TC4330



TC4331



TC4332



TC4335



# CLASSIC WOOD


Wallcoverings » Architectural Film



TC4336



TC4337



TC4338



TC4339



TC4344



TC4346



TC4348



TC4349



TC4353



TC4354




TC4355



TC4356



TC4357



TC4359



TC4360



TC4362



TC5053



TC5054



TC5055



TC5057



TC5058



TC5061



TC5062



TC5063



TC5064

# CLASSIC WOOD

Wallcoverings » Architectural Film



TC5065




TC5066



TC5067



TC5068



TC5069



TC5070



TC5071



TC5072



TC5073



TC5078



TC5079



TC5080



TC5081




TC5082



TC5086



TC5087



TC5088



TC5089



TC5090



TC5091



TC5092



TC5093



TC5094



TC5095



TC5098

# CLASSIC WOOD


Wallcoverings » Architectural Film



TC5099



TC5100




TC5101




TC5102



TC5103



TC5104



TC5106



TC5108



TC5109



TC5110




TC5111



TC5112




TC5113



TC5114



TC5117



TC5118



TC5119




TC5120




TC5121



TC5122




TC5123



TC5124



TC5431



TC5432



TC5433



# CLASSIC WOOD


Wallcoverings » Architectural Film



TC5434



TC5435



TC5436



TC5437



TC5438



TC5439



TC5440



TC5441



TC5442



TC5443



TC5444



TC5445



TC5446



TC5447



TC5448

# CLASSIC WOOD

Wallcoverings » Architectural Film

Provide a fresh new look for your space with Reatec Class Wood Collection, with a variety of patterns and wood tones to suit your project requirements

✓ **Bleach Cleanable**

**Description** Reatec is a durable and realistic architectural film with a pressure sensitive adhesive and air removal system backing. Utilising state of the art, multi layer printing and minute embossing, its appearance is almost indistinguishable from real wood or stone. Reatec is stain and solvent/chemical resistant, anti-bacterial, anti-mould, colorfast, washable, scrubbable, and abrasion resistant. A pdf with full Reatec Test Results can be found on the product Downloads tab on the website. Reatec can be stretched to cover the corners and curves and is suitable for both indoor and outdoor uses including kitchens and bathrooms. Go to the DOWNLOADS tab for our Reatec Additional Spec Sheet and Installation Guide.

**Composition** Reatec is a durable and realistic architectural film with a pressure sensitive adhesive and air removal system backing 350 g/m<sup>2</sup>

**Pattern Repeat Size** N/A

**Fire Rating** Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

Classification - Group 1  
Specific Extinction - Less than 250m<sup>2</sup>/kg

**Warranty** 2-year warranty. Visit [baresque.com.au/warranty](https://www.baresque.com.au/warranty) for complete details.

**Lead Time**

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

**Suggested Installation**

Reatec is a specialised product and should only be installed by a trained installer.

It is strongly recommended that the installation instructions from our product downloads are read and understood.

As Reatec is a thin film, the substrate should be prepared as smooth as possible to avoid visible unevenness.

Reatec can be installed and repaired on-site, resulting in almost no downtime for both interior and exterior applications.

Feel free to contact Baresque with any installation questions.

# CLASSIC WOOD

Wallcoverings » Architectural Film

---

## Care Instructions

Wipe material with a clean, soft cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then dry with a lint free cloth.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently. Rinse with a water dampened cloth to remove bleach concentration.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

---

# CLASSIC WOOD

Wallcoverings » Architectural Film

---

## Colour & Finish Options