

Brand: **Bolta** 



# COLOURWAY CARD BB-VT-04 WHITE COLOURWAY CARD BB-VT-01 MATTE BB-VT-02 MATTE BB-VT-03 MATTE **GREY** PEARL WHITE **OYSTER** BB-VT-05 BB-VT-06 MATTE **BB-VT-07 PALEST** BB-VT-08 AGED **BB-VT-09 INFINITY** SILVERPLATE BLACK SILVER **PEWTER** STEEL BB-VT-10 NICKEL BB-VT-12 BLONDE BB-VT-13 WARM BB-VT-14 NUGGET BB-VT-11 GLEAM **BRONZE PEARL** BB-VT-15 CHESTNUT BB-VT-16 ROSE GOLD BB-VT-17 BABY BB-VT-18 FERRARI BB-VT-19 GREEN DRIVER HORNET GOLD RED BB-VT-21 PINK CADI BB-VT-24 PLUM BB-VT-20 BB-VT-22 T BIRD BB-VT-23 CHARGER BLUESMOBILE **TURQ BLUE** CRAZY



baresque.com.au



# **VERTEX**



Vertex is a 137cm wide commercial wallcovering that's available in 24 colourways. Versitale, durable, easy to clean and cost effective.

#### Bleach Cleanable

Description	Explore the 3rd dimension across the myriad of peaks, boxes and folds in Vertex. Resembling a chunky fabric, this dimensional texture offers a full range of 24 hues that blend with both Balancing Act and Tipping Point.
Roll Size	137cm wide x 27.4m - Available by the lineal metre
Composition	Vinyl face on a fabric backing Equivalent to 20oz (452g/m²)
Pattern Repeat Size	N/A

Environmental Info	Formaldehyde free
	roillialuellyde liee

Heavy metals free

Perfluorooctanoic acid free

No solvent inks

Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.

Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.

Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

#### Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg

#### Warranty

5-year warranty. Visit baresque.com.au/warranty for complete details.

## Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

# Suggested Installation

Non reverse hang/overlap double cut.

Baresque recommends and supplies Roman brand adhesives and primers.



### Care Instructions

Use cloth with any of the following in preferred order of use:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.