

YOKI

Wallcoverings » Commercial Wallcoverings



Brand: **Versa**

YOKI

Wallcoverings » Commercial Wallcoverings

COLOURWAY CARD

COLOURWAY CARD



A190-003 MORNING
FOG



A190-008 PERMA
FROST



A190-024 ACROPOLIS



A190-111 PALE
CHESTNUT



A190-127 TOFFEE



A190-173 ROSE
GRANITE



A190-320 ADRIATIC



A190-444 DEEP
MAHOGANY



A190-500 OBSIDIAN



A190-567 CEMENT



A190-579 JULY
STORM



A190-633 ETRUSCAN

YOKI

Wallcoverings » Commercial Wallcoverings

Yoki is a 137cm wide commercial wallcovering with a non-directional texture with a metallic touch displayed in 12 colours. Durable and versatile.

✓ Bleach Cleanable

Description Sophisticated yet subtle, Yoki pulls from the pleasure of nature through touch and optical appeal. A unique, non-directional texture softly metallized, Yoki warmly shimmers with topographical impressions inspired by the movement of water or sand. From different angles, light reveals an energetic and free flowing tactile surface.

Roll Size 137cm wide x 27.4m - Available by the lineal metre

Composition Vinyl face on a fabric backing Equivalent to 20oz (452g/m²)

Pattern Repeat Size N/A

Environmental Info

- Formaldehyde free
- Heavy metals free
- Perfluorooctanoic acid free
- No solvent inks

Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.

Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.

Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

Fire Rating Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:
Classification - Group 2
Specific Extinction - Less than 250m²/kg

Warranty 5-year warranty. Visit baresque.com.au/warranty for complete details.

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Reverse hang / overlap and double cut.

Baresque recommends and supply Roman brand adhesives and primers.

Care Instructions

Always use a clean, white, soft cloth.

Use cloth with any of the following in preferred order of us:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

YOKI

Wallcoverings » Commercial Wallcoverings

Colour & Finish Options