

# REATEC PREMIUM WOOD

Wallcoverings » Architectural Film

---



Brand: **Reatec**

# REATEC PREMIUM WOOD

Wallcoverings » Architectural Film



RW4001



RW4002



RW4004



RW4007



RW4008



RW4009



RW4012



RW4013



RW4014




RW4015



RW4016



RW4018



RW4031



RW4035




RW4036



RW4047



RW4048



RW4049




RW4050



RW4051



RW4052



RW4053



RW4057



RW4059



RW4060

# REATEC PREMIUM WOOD

Wallcoverings » Architectural Film



RW4061



RW4062



RW4063



RW4064



RW4067



RW4068



RW4069



RW4073




RW4074




RW4076



RW4078



RW4079



RW4083



RW4085




RW4087



RW4088



RW4089



RW4090




RW4091




RW4092



RW4094



RW4096



RW4097



RW4101



RW4102

# REATEC PREMIUM WOOD

Wallcoverings » Architectural Film



RW4103



RW4109



RW4113



RW4114



RW4118



RW4119



RW5001



RW5002



RW5004



RW5007



RW5010



RW5012



RW5018




RW5020




RW5021




RW5035



RW5036



RW5037



RW5038




RW5039



RW5040



RW5041



RW5045



RW5046



RW5047

# REATEC PREMIUM WOOD

Wallcoverings » Architectural Film



RW5049




RW5050



RW5051



RW5052



RW5360



RW5361



RW5362



RW5363



RW5364



RW5365




RW5366



RW5367




RW5368




RW5369



RW5370



RW5371



RW5372



RW5373



RW5374



RW5375




RW5376



RW5377



RW5378



RW5379



RW5380



# REATEC PREMIUM WOOD

Wallcoverings » Architectural Film



RW5381



RW5382



RW5383



RW5384



RW5385



RW5386



RW5387



RW5388



RW5389



RW5390



RW5391



RW5392



RW5393



RW5394



RW5395



RW5396



RW5397



RW5398




RW5399



RW5400



RW5401



RW5402



RW5403



RW5404



RW5416

# REATEC PREMIUM WOOD

Wallcoverings » Architectural Film



RW5417



RW5421



RW5422



RW5423



RW5424



RW5425



RW5426



RW5427



RW5428



RW5429

# REATEC PREMIUM WOOD

Wallcoverings » Architectural Film

A wood series reflecting new unique designs such as diagonal wood patterns, embossed and matte finish with a trendy pattern in a range of colourways.

✓ **Bleach Cleanable**

**Description** Reatec is a durable and realistic architectural film with a pressure sensitive adhesive and air removal system backing. Utilising state of the art, multi layer printing and minute embossing, its appearance is almost indistinguishable from real wood or stone. Reatec is stain and solvent/chemical resistant, anti-bacterial, anti-mould, colorfast, washable, scrubbable, and abrasion resistant. A pdf with full Reatec Test Results can be found on the product Downloads tab on the website. Reatec can be stretched to cover the corners and curves and is suitable for both indoor and outdoor uses including kitchens and bathrooms. Go to the **DOWNLOADS** tab for our Reatec Additional Spec Sheet and Installation Guide.

**Composition** Reatec is a durable and realistic architectural film with a pressure sensitive adhesive and air removal system backing 350 g/m<sup>2</sup>

**Pattern Repeat Size** N/A

**Fire Rating** Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

Classification - Group 1  
Specific Extinction - Less than 250m<sup>2</sup>/kg

**Warranty** 2-year warranty. Visit [baresque.com.au/warranty](https://baresque.com.au/warranty) for complete details.

**Lead Time**

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

**Suggested Installation**

Reatec is a specialised product and should only be installed by a trained installer.

It is strongly recommended that the installation instructions from our product downloads are read and understood.

As Reatec is a thin film, the substrate should be prepared as smooth as possible to avoid visible unevenness.

Reatec can be installed and repaired on-site, resulting in almost no downtime for both interior and exterior applications.

Feel free to contact Baresque with any installation questions.



# REATEC PREMIUM WOOD

Wallcoverings » Architectural Film

---

## Care Instructions

Wipe material with a clean, soft cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then dry with a lint free cloth.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently. Rinse with a water dampened cloth to remove bleach concentration.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

---

# REATEC PREMIUM WOOD

Wallcoverings » Architectural Film

---

## Colour & Finish Options