

# SCRIBBLE LESS

Wallcoverings » Commercial Wallcoverings

---



Brand: **Genon**

# SCRIBBLE LESS

Wallcoverings » Commercial Wallcoverings

## COLOURWAY CARD

COLOURWAY CARD



W2-SC-01  
AQUAMARINE



W2-SC-02 BLUE WAVE



W2-SC-03 NAVY



W2-SC-04 FROST



W2-SC-05 CINDER



W2-SC-06 CARBON



W2-SC-07 CLOUDY



W2-SC-08 STONE



W2-SC-09 SLATE



W2-SC-10 CASHMERE



W2-SC-11 SAGE



W2-SC-12 SMOKEY  
TAUPE



W2-SC-13 LINEN



W2-SC-14 SAND



W2-SC-15 COGNAC



W2-SC-16 BONE



W2-SC-17 RED MAPLE



W2-SC-18 COCOA

# SCRIBBLE LESS

Wallcoverings » Commercial Wallcoverings

Scribble-Less is a 137cm wide commercial wallcovering with a vertical silk and strie appearance that's available in 18 colours. Durable and versatile.

✓ **Bleach Cleanable**

✓ **Low VOC**

**Description** Scribble-Less is a vertical silk with a strie appearance. Easy to see at a distance, the defined strokes appear as though someone lightly brushed paint down the wall. The most versatile in the group, Scribble-less grounds the mid-scale pattern Scribble and can be paired with Scribble Sticks for a touch of glam. Having the same background makes designing adjacent spaces child's play.

**Roll Size** 137cm wide x 27.4m - Available by the lineal metre

**Composition** Vinyl face on a fabric backing Equivalent to 20oz (452g/m<sup>2</sup>)

**Environmental Info**

- Formaldehyde free
- Heavy metals free
- Perfluorooctanoic acid free
- No solvent inks

Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.

Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.

Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

**Fire Rating** Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:  
Classification - Group 2  
Specific Extinction - Less than 250m<sup>2</sup>/kg

**Warranty** 5-year warranty. Visit [baresque.com.au/warranty](https://www.baresque.com.au/warranty) for complete details.

# SCRIBBLE LESS

Wallcoverings » Commercial Wallcoverings

---

- Lead Time**
- 2-weeks (approx.) from Wednesday, subject to stock availability.
  - Additional 1-week for Western Australia.
  - Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
- 

**Suggested Installation**

Reverse hang / overlap and double cut.

Baresque recommends and supply Roman brand adhesives and primers.

---

**Care Instructions**

Use cloth with any of the following in preferred order of use:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

---

# SCRIBBLE LESS

Wallcoverings » Commercial Wallcoverings

---

## Colour & Finish Options