

Brand: Koroseal

# NU VU RITE

**Wallcoverings** » Writable and Magnetic Wallcoverings



NV50 (127CM WIDE)



High-quality projection surface that can serve as a large, seamless writing surface. Stain-resistant, graffiti proof projection surface.

Roll Size	NV50 - 127cm NV60 - 152cm x 30.5m - Available by the lineal metre.
Composition	Vinyl with fabric backing NV50 - 127cm width - 744 g/m NV60 - 152cm width - 967 g/m
Pattern Repeat Size	N/A
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.  Classification - Group 1 Specific Extinction - Less than 250m²/kg
Warranty	2-year warranty. Visit <b>baresque.com.au/warranty</b> for complete details.



# **NU VU RITE**

Wallcoverings » Writable and Magnetic Wallcoverings

#### Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

## Suggested Installation

Can be hung vertically or horizontally.

Reverse hang, overlap and double cut.

Baresque recommends and supplies Roman brand adhesives and primers.

#### Care Instructions

Remove dry erase markings with a microfiber cloth. Press firmly in a circular motion.

Wash cloth or change erasers as they become dirty as dirty dry erase cleaning cloths and erasers will spread ink residue on the surface.

For daily cleaning, or as required, rinse the surface with water.

Dry the surface with a soft cloth prior to writing.

See Walltalkers Care Maintenance pdf for full instructions.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

### **Additional Comments**

All Walltalker products should be washed with an ammonia or alcohol-based cleaner or mild soap and rinsed thoroughly with water prior to using. See Walltalkers Care Maintenance pdf for full details

