Wallcoverings » Writable and Magnetic Wallcoverings



Brand: Koroseal

PROJECT RITE

Wallcoverings » Writable and Magnetic Wallcoverings



PE 50 00 WHITE

PE60 00 WHITE

Wallcoverings » Writable and Magnetic Wallcoverings



High-quality dry erase writing surface with a slight emboss for projection capabilities on wall-to-wall and floor-to-ceiling, even on curved walls.

Desc	PIL	n+1	OB
1 1250			()

Enjoy a projection surface that doubles as a dry erase wallcovering. Project Rite is an ideal choice for corporate environments where projection is a priority and light dry erase use is a plus. With Project – Rite, you can select from five colour to meet the design needs of your presentation environment. Specify this product when the surface is going to be used as a projection screen 65% of the time and a writing surface 35% of the time.

Roll Size

PE50 (white only) -124/127cm PE60 -150/152cm \times 30.5m - Available by the lineal metre.

Composition

Projectable. Vinyl with fabric backing 967 g/m²

Pattern Repeat Size

N/A

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

Classification - Group 1

Specific Extinction - Less than 250m²/kg



PROJECT RITE

Wallcoverings » Writable and Magnetic Wallcoverings

Warranty	2-year warranty. Visit baresque.com.au/warranty for complete details.
Lead Time	 2-weeks (approx.) from Wednesday, subject to stock availability. Additional 1-week for Western Australia. Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Suggested Installation	Can be hung vertically or horizontally. Reverse hang, overlap and double cut. Baresque recommends and supplies Roman brand adhesives and primers.
Care Instructions	Remove dry erase markings with a microfiber cloth. Press firmly in a circular motion. Wash cloth or change erasers as they become dirty as dirty dry erase cleaning cloths and erasers will spread ink residue on the surface. For daily cleaning, or as required, rinse the surface with water. Dry the surface with a soft cloth prior to writing. See Walltalkers Care Maintenance pdf for full instructions. Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.
Additional Comments	All Walltalker products should be washed with an ammonia or alcohol-based cleaner or mild soap and rinsed thoroughly with water prior to using. See Walltalkers Care Maintenance pdf for full details.

4 of 4

