
Acoustics » Acoustic Sticks



Brand: Zintra



Acoustics » Acoustic Sticks





Acoustics » Acoustic Sticks








TAR





Create a sense of depth and dynamism to flat surfaces without the headache and huge cost associated with structural changes with Zintra Curved Sticks.

Easy Clean

Easy Install

Bleach Cleanable

Acoustic

Description

Introduce a captivating dimension to flat surfaces with Zintra curved stick, a feat typically challenging and costly to achieve.

When combined Zintra curved sticks, the Aluminium tube and our unique curved installation rib allow you to use a single set of sticks to create a simple curve, or, if you want your project to make waves, combine multiple sets and design a dramatic ceiling or wall swell.

Discover the ideal fit within our range of Zintra Curved sticks, available in both Narrow and Wide options and a variety of finishes tailored to your aesthetic preferences.

Dimensions

1158mm (45.6") w x 2743mm (108") h

Each Stick

- Narrow 42mm (1.66")
- Wide 102mm (4")



Acoustics » Acoustic Sticks

Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester 12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²
Sustainability	 Zintra is made from 100% recyclable materials. 60% post-consumer recycled content from Zintra bottles. 35% pre-consumer recycled content from Zintra chips 5% polylactic acid (PLA)
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Assembly & Delivery	 Ships Flat Pack Assembly Required Go to the Technical Documents and download the Installation Guide for more details.
Supplied As	 Flat Pack Curved Rib 3 x 25mm (1") Aluminium Tube Notched 20 Narrow Sticks OR 10 Wide Sticks
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
How to Specify	Select Stick Width - Narrow or Wide Select Zintra Colour



Acoustics » Acoustic Sticks

Care Instructions Vac

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results,

contact us.

Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Additional Comments

NRC 0.80

