

Acoustics » Acoustic Baffles



Brand: Zintra









SUNSHINE



TAR



Acoustics » Acoustic Baffles



Perfectly framed, Closed Rafters convey a sense of structure and architectural largesse

Acoustic

- Solution Dyed Yarns
- Extended Warranty
- Absorbs Noise
- Easy Clean
 Environmentally Friendly

Bleach Cleanable

Description

Easy Install

The modular design is available in a range of configurations and come with connectors that let you tailor them to individual spaces.

They're lightweight and come in a range of 24-colors, and realistic wood prints that give you the choice of creating anything from progressive ceiling features to exposed architectural beams.

Available in 5 standard formats and designed with customisation in mind beams are easily configured for larger spaces.

Beams have been specifically designed to offer superior acoustics by acting as a porous sound absorber across the full frequency range. If you are looking for added acoustic value, co-ordinated Coffer panels are available as an accessory to increase NRC rating up to 1.5





Dimensions	• 5 x 5 123" (3124mm) w x 8" (203mm) h x 123" (3124mm) d
	• 4 x 5 99" (2515mm) w x 8" (203mm) h x 123" (3124mm) d
	• 3 x 5 75" (1905mm) w x 8" (203mm) h x 123" (3124mm) d
	• 2 x 5 51" (1295mm) w x 8" (203mm) h x 123" (3124mm) d
	• 1 x 5 27" (686mm) w x 8" (203mm) h x 123" (3124mm) d
PET Colours	24 Colors – Ash, Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Midnight, Ochre, Olive, Pebble, Sky, Smoke, Sunshine, Tar.
	4 Timber Prints - Eucalyptus, Iron bark, Merbau, Spotted Gum.
	12 Premium Wood Prints - Australian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak
Composition	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Environmental Info	Easily recycled through standard recycling channels
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.
	Classification - Group 1 Specific Extinction - Less than 250m²/kg
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.
Assembly & Delivery	Ships Flat Pack
	Assembly Required
	Refer Installation Instructions
How to Specify	1. Select PET Color
	2. Select Size



Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	• NRC 1.0
	• NRC 1.5 With Coffers
	COLOUR DISCLAIMER:
	Due to inconsistencies with monitors, and the calibration of your screen, colours may display differently. As they may not be an accurate representation of the true colour we advise requesting a sample.

