

RAMMED EARTH

Wallcoverings » Commercial Wallcoverings



Brand: **Koroseal**

Applications: **Walls**

1300 306 399

info@baresque.com.au

baresque.com.au

1 of 5

RAMMED EARTH

Wallcoverings » Commercial Wallcoverings



RAMMED EARTH

Wallcoverings » Commercial Wallcoverings

Rammed Earth provide a distinctive and organic look that can enhance the ambiance of commercial spaces. Available in 8 colourways.

✓ **Mildew Resistant**

✓ **Bleach Cleanable**

Description

Rammed Earth is inspired by villa walls constructed of compacted local earth in one of Clodagh's celebrated designs for a spa and wellness centre. Like its sister pattern Weathered Alloy, the textures and earthy colourways of Rammed Earth soothe the eyes - the windows to the soul - supporting an environment of grounding and wellness.

Composition

Type II Wallcovering
20 oz. ply Woven (Osnaburg) backing

Environmental Info

Formaldehyde free
Heavy metals free
Perfluorooctanoic acid free
No solvent inks
Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.
Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.
Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.

Pattern Repeat Size

60.9 cm V 132 cm H

Roll Size

132/137cm x 27.4m - Available by the lineal metre.

Weight

20oz (452g/m²)

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was:
Classification - Group 2
Specific Extinction - Less than 250m²/kg

RAMMED EARTH

Wallcoverings » Commercial Wallcoverings

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Non-reverse hang alternate drops/straight across match/overlap and double cut.
Baresque recommends and supplies Roman brand adhesives and primers.

Care Instructions

Use cloth with any of the following in preferred order of use:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

Warranty

5-year warranty. Visit [baresque.com.au/warranty](https://www.baresque.com.au/warranty) for complete details.

Additional Comments

Rammed Earth is part of The Harmony Collection by Koroseal.

RAMMED EARTH

Wallcoverings » Commercial Wallcoverings

Colour & Finish Options

COLOURWAY CARD



CL09-01 COSMOS



CL09-02 SAND



CL09-03 UNIVERSE



CL09-04 GLACIER



CL09-05 CRYSTAL



CL09-06 TIDE



CL09-07 CLAY



CL09-08 CREATION