
Wallcoverings » Advanced Wall Protection



Brand: **P3tec**

Applications: Walls



Wallcoverings » Advanced Wall Protection

Madagascan Straw weaves palm stalks into the perfect blend of natural texture and intense performance.

 Bleach Cleanable Extreme Durability 	✓ Easy Clean✓ High Stain Resistance	✓ Extended Warranty✓ Ultra Performance
Description	Some walls need extra protection from bumps, rubs, spills, and commercial cleaners, but that shouldn't mean they aren't also easy on the eye.	
	P3TEC offers just that – the designs, texture with the impact, chemical and abrasion resis	
	1. Impact, chemical and abrasion resistant.	
	Independently tested by ASTM Internationa	l (D5420-10, D308, D4060-14).
	2. Stain resistant and easy to clean.	
	Stain resistant to permanent markers, spray	paint, wine, coffee.
	Cleanable with bleach, hydrogen peroxide a	nd ammonia.
	3. Simple wallcovering installation.	
	Comes in rolls for easy transportation and to	op to bottom installation.
	Pattern matching, seaming with overlap, dou	ıble cut process.
	Easy on the spot cut-outs.	
	4. Wide range of applications.	
	Bends around curves.	
	Covers full walls without need for protective	profiles.
Composition	Extra thick vinyl face on a heavy polyester /	cotton knit fabric backing



Wallcoverings » Advanced Wall Protection

Environmental Info	Formaldehyde free
	Heavy metals free
	Perfluorooctanoic acid free
	No solvent inks
	Low VOC emissions. Any VOCs dissipate quickly (faster than paint) through normal ventilation and have no recognized adverse impact on indoor air quality.
	Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.
	Baresque will only deal with vinyl manufacturers that comply with applicable state and federal regulations, provide a factory that is safe and clean for its employees to work in, recycle scrap and inks during the manufacturing process to minimize waste related to production.
Roll Size	137cm. Trims to 122cm x 13.7m Available by the FULL ROLL ONLY
Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.
	The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability.
	Additional 1-week for Western Australia.
	 Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Suggested Installation	Reverse hang alternate drops/overlap and double cut.
	Advanced Wall Protection requires a specific installation method and we strongly recommend you use one of our recommended installers.
	Download the Installation Instructions for details.
	Baresque recommends and supply Roman brand adhesives and primers.



Wallcoverings » Advanced Wall Protection

Care Instructions	1. Completion:
	Immediately upon completion of installation, installer shall make sure that these products are cleaned and free of any layout marks, excess adhesive or surface blemishes. Remove excess adhesive with methods and materials recommended by the adhesive manufacturer.
	2. Clean-Up and Routine Maintenance:
	Rigid Profiles: For general cleaning, use disinfectant cleaner.
	All Purpose Cleaner Heavy Duty: Use a clean, lint-free cloth and wipe clean. Do not use any abrasive cleaning cloths or sponges.
	1. Spray products onto profile and wipe with a dampened cloth.
	2. Repeat process if stain remains. If cleaning product residue remains, rinse with water.
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.



Wallcoverings » Advanced Wall Protection

Colour & Finish Options





P3T-60380 MARSH

