



## **CARVED IN STONE**

Wallcoverings » Commercial Wallcoverings

# COLOURWAY CARD







**BX5016N QUARTZ** 



**BX5017N GLASSINE** 



**BX5018N CALCITE** 



**BX5019N SEDIMENT** 



BX5020N OBSIDIAN



Inspired by natural motion and flow within earthen layers with sculptural pearlescent inks complementing its rugged texture

Bleach Cleanable	Anti-Microbial		
Description	The design focus on natural inspirations turns to the forest floor and the layers of earth to bring motion and pattern back to their purest form. Incorporating textural mineral shimmer and muted burnished finishes add elegant reflections and soft glimmer to balance the irregularities and nuances inherent in organic forms.		
Roll Size	68.6cm wide x 8.2m - Available by the full roll only		
Weight	452 g/m²		
Composition	Vinyl face on a non-woven backing (452 g/m²)		
Pattern Repeat Size	64 cm V		

### **CARVED IN STONE**

Wallcoverings » Commercial Wallcoverings

	Rati	

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of

Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was: Classification - Group 2

Specific Extinction - Less than 250m<sup>2</sup>/kg

#### Warranty

5-year warranty. Visit **baresque.com.au/warranty** for complete details.

#### Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

#### Suggested Installation

Non-reverse hang alternate drops/straight across match/overlap and double cut.

Baresque recommends and supplies Roman brand adhesives and primers.

#### Care Instructions

Always use a clean, white, soft cloth.

Use cloth with any of the following in preferred order of us:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

DO NOT USE solvent based or concentrated abrasive cleaning agents, lacquer thinners, nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

