Wallcoverings » Advanced Wall Protection



Brand: **P3tec**

Applications: Walls



Wallcoverings » Advanced Wall Protection



1300 306 399 info@baresque.com.au baresque.com.au



Wallcoverings » Advanced Wall Protection

South Beach collection's sandy neutrals, subtle textures, & silky touch bring timeless sophistication and summer vibes indoors.

✓ Bleach Cleanable✓ Extreme Durability	✓ Easy Clean✓ High Stain Resistance	 Extended Warranty Ultra Performance
Description	South Beach Silk embodies the luxurious and youthful energy of Miami's South Beach. With its predominantly sandy neutral palette, delicate colour variations, and airy texture, this collection captures the breezy summer spirit while maintaining a sense of sophistication and timeless appeal. South Beach Silk aims to bring a touch of this local decor inspiration to a broader audience, allowing people to infuse their spaces with the soul of South Beach and the allure of silk.	
Composition	Extra thick vinyl face on a heavy polyester / cotton knit fabric backing.	
Environmental Info	Formaldehyde free Heavy metals free Perfluorooctanoic acid free No solvent inks Low VOC emissions. Any VOCs dissipate qui ventilation and have no recognized adverse Durability means products do not need to be tear and being cleanable, vinyl products are environments clean of bacteria. Baresque will only deal with vinyl manufactu and federal regulations, provide a factory that work in, recycle scrap and inks during the manufactur	impact on indoor air quality. e replaced regularly due to wear and ideal for helping keep commercial rers that comply with applicable state at is safe and clean for its employees to
Pattern Repeat Size	Not Applicable	
Roll Size	137cm (trims to 122cm wide) x 13.7m - Availa	ble by the full roll only
Abrasion	ASTM D -5420-10 Gardner Method	



Wallcoverings » Advanced Wall Protection

Fire Rating	Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.
	The result achieved was: Classification - Group 2 Specific Extinction - Less than 250m²/kg
Lead Time	• 2-weeks (approx.) from Wednesday, subject to stock availability.
	 Additional 1-week for Western Australia.
	• Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
Suggested	Reverse hang alternate drops/overlap and double cut.
Installation	Advanced Wall Protection requires a specific installation method and we strongly recommend you use one of our recommended installers.
	Download the Installation Instructions for details.
	Baresque recommends and supply Roman brand adhesives and primers.
Care Instructions	1. Completion:
Care Instructions	
Care Instructions	1. Completion: Immediately upon completion of installation, installer shall make sure that these products are cleaned and free of any layout marks, excess adhesive or surface blemishes. Remove excess adhesive with methods and materials recommended by
Care Instructions	1. Completion: Immediately upon completion of installation, installer shall make sure that these products are cleaned and free of any layout marks, excess adhesive or surface blemishes. Remove excess adhesive with methods and materials recommended by the adhesive manufacturer.
Care Instructions	 Completion: Immediately upon completion of installation, installer shall make sure that these products are cleaned and free of any layout marks, excess adhesive or surface blemishes. Remove excess adhesive with methods and materials recommended by the adhesive manufacturer. Clean-Up and Routine Maintenance:
Care Instructions	 Completion: Immediately upon completion of installation, installer shall make sure that these products are cleaned and free of any layout marks, excess adhesive or surface blemishes. Remove excess adhesive with methods and materials recommended by the adhesive manufacturer. Clean-Up and Routine Maintenance: Rigid Profiles: For general cleaning, use disinfectant cleaner. All Purpose Cleaner Heavy Duty: Use a clean, lint-free cloth and wipe clean. Do not
Care Instructions	 Completion: Immediately upon completion of installation, installer shall make sure that these products are cleaned and free of any layout marks, excess adhesive or surface blemishes. Remove excess adhesive with methods and materials recommended by the adhesive manufacturer. Clean-Up and Routine Maintenance: Rigid Profiles: For general cleaning, use disinfectant cleaner. All Purpose Cleaner Heavy Duty: Use a clean, lint-free cloth and wipe clean. Do not use any abrasive cleaning cloths or sponges.



Wallcoverings » Advanced Wall Protection

Colour & Finish Options



