Wallcoverings » Advanced Wall Protection



Brand: P3tec



Wallcoverings » Advanced Wall Protection











CASHMERE

P3T-60427 CREAM

P3T-60428 BABY'S BREATH

P3T-60429 PERFECT WHITE











P3T-60430 BONE

P3T-60431 MOONSTRUCK

P3T-60432 GREY **PEARL**

P3T-60433 GENTLE **GREY**

P3T-60434 CLAM UP











P3T-60435 MIDNIGHT

P3T-60436 CARBON DATING

P3T-60437 STONE MASON

P3T-60438 GARDENIA

P3T-60439 BEACH GLASS





Wallcoverings » Advanced Wall Protection

South Beach collection's sandy neutrals, subtle textures, & silky touch bring timeless sophistication and summer vibes indoors.

✓ Bleach Cleanable	✓ Easy Clean	✓ Extended Warranty
 Extreme Durability 	✓ High Stain Resistance	✓ Ultra Performance
Description	South Beach Silk embodies the luxurious and Beach. With its predominantly sandy neutral pairy texture, this collection captures the brees sense of sophistication and timeless appeal. South Beach Silk aims to bring a touch of this audience, allowing people to infuse their spacethe allure of silk.	palette, delicate colour variations, and zy summer spirit while maintaining a solocal decor inspiration to a broader
Roll Size	137cm (trims to 122cm wide) x 13.7m - Available by the full roll only	
Composition	Extra thick vinyl face on a heavy polyester / cotton knit fabric backing.	
Abrasion	ASTM D -5420-10 Gardner Method	
Pattern Repeat Size	Not Applicable	
Environmental Info	Formaldehyde free	
	Heavy metals free	
	Perfluorooctanoic acid free	
	No solvent inks	
	Low VOC emissions. Any VOCs dissipate quid ventilation and have no recognized adverse in	
	Durability means products do not need to be replaced regularly due to wear and tear and being cleanable, vinyl products are ideal for helping keep commercial environments clean of bacteria.	
	Baresque will only deal with vinyl manufactur and federal regulations, provide a factory that work in, recycle scrap and inks during the ma waste related to production.	t is safe and clean for its employees to



Wallcoverings » Advanced Wall Protection

Fire Rating

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of

Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was: Classification - Group 2

Specific Extinction - Less than 250m²/kg

Warranty

5-year warranty. Visit **baresque.com.au/warranty** for complete details.

Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

Suggested Installation

Reverse hang alternate drops/overlap and double cut.

Advanced Wall Protection requires a specific installation method and we strongly recommend you use one of our recommended installers.

Download the Installation Instructions for details.

Baresque recommends and supply Roman brand adhesives and primers.

Care Instructions

1. Completion:

Immediately upon completion of installation, installer shall make sure that these products are cleaned and free of any layout marks, excess adhesive or surface blemishes. Remove excess adhesive with methods and materials recommended by the adhesive manufacturer.

2. Clean-Up and Routine Maintenance:

Rigid Profiles: For general cleaning, use disinfectant cleaner.

All Purpose Cleaner Heavy Duty: Use a clean, lint-free cloth and wipe clean. Do not use any abrasive cleaning cloths or sponges.

- 1. Spray products onto profile and wipe with a dampened cloth.
- 2. Repeat process if stain remains. If cleaning product residue remains, rinse with water.



Wallcoverings » Advanced Wall Protection

Colour & Finish Options

