Acoustics » Acoustic Panels



Brand: **Zintra**

Collection: Layers Panel

Acoustics » Acoustic Panels



Layers Panel Frost, Greige and Fossil Detail



Layers Panel Frost, Greige and Grass Detail

Acoustics » Acoustic Panels

Create a personalized acoustic masterpiece with Zintra Layers. Panels that are handmade with care, choose from 30 Colours which are cut into strips and applied to a Zintra backing panel.

Desc	KIK	\+ ./	200

Elevate your space with the perfect blend of superior acoustics and unique character, courtesy of Zintra Layers.

Discover the innovative technique behind Zintra Layers, where vibrant strips of Colour are meticulously layered onto a Zintra Acoustic panel backer, offering a versatile solution for your acoustic design needs. Whether you're craving a subtle infusion or a bold explosion of Colour, achieve unparalleled acoustics and individuality effortlessly.

With an impressive NRC rating of 0.75, Zintra Layers proves to be both cost-effective and adaptable, suitable for a variety of applications. Its easy fabrication, installation, and pinnability make it a practical choice for any project.

	٠						
D	п	m	Δ	n	C	n	C

2745mm (108") x 1207mm (47.5")

Composition

Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester

12mm (1/2") - Density 2.4 kg/m² 0.5 lb/ft²

Sustainability

Zintra is made from 100% recyclable materials.

- 60% post-consumer recycled content from PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% polylactic acid (PLA)

Fire Rating

ASTM-E84 – Class A classification

AS ISO 9705 - 2003 - Group 1 classification

EN-13501 - B-s2-d0 classification

Warranty

Visit FAQ for more details.

Assembly & Delivery

Ships Assembled ready for installation. Refer Installation instructions.

Recommended 2 People assembly

Go to the Technical Documents and download the Installation Guide for more

details.

Supplied As

1 x Layer Panel in selected Colour/s



Acoustics » Acoustic Panels

Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
How to Specify	Select Layers or Layers 3D design Select Zintra Colour
	z. Select Ziliti'a Coloui
Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	NRC Up to 1.0

4 of 6



Colour & Finish Options

Zintra 12mm Solid PET







Acoustics » Acoustic Panels











Twilight

