Acoustics » Acoustic Panels




Brand: **Zintra** Collections: **3D Panel** Applications: **Walls**


1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Acoustic Panels



3D Wall Panels Battens 2-4-6 Premium Wood - Palm Wood



3D Panel Batten Close up



3D Panel Batten 4 Detail



1300 306 399 info@baresque.com.au baresque.com.au

Acoustics » Acoustic Panels

Zintra 3D Panels Batten 4 offer both an intriguing design element and functional acoustic enhancement. Add depth and design to flat surfaces which absorb sound and cancel out soundwaves.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean
Description	Seamlessly joined, our 3D Wall Panels offer both an intriguing design element and functional acoustic enhancement for straight or curved walls. These narrow panels boast a small pattern repeat, facilitating easy adjustment for wall-to-wall fitting without the need for custom drawings.	
	pattern. Designed to bring a touch o your space. Featuring alternating wi	timeless appeal of the board and batten f architectural elegance and visual interest to de boards and vertical battens, this captivating red surface. Its classic yet versatile design and character to any project.
	Also Available in Batten 2, Batten 6 and Peaks design	
	of angular protrusions arranged in a	aks of mountains. This panel features a series symmetrical pattern, creating a dynamic and nd intricate design make it suitable for a offices and conference rooms to
	serves a functional purpose by enha	ibute to the aesthetics of a space, but it also ncing sound absorption and cancelling out s depth and dimension to flat surfaces, ivating focal points.
	Not suitable as a free standing product.	
Composition	Zintra Acoustic Panel - 100% Solutic	n Dyed (Colour Through) Polyester
	12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft²	
Sustainability	Zintra is made from 100% recyclable materials.	
	 60% post-consumer recycled content from PET bottles. 	
	 35% pre-consumer recycled content from PET chips 	
	• 5% polylactic acid (PLA)	



Acoustics » Acoustic Panels

Dimensions	Batten 4:	
	• 3 strips / set, 2.5m ² (27SF)	
	• 305mm (12") w x 2745mm (108.1") h x 37mm (1.5") d / strip	
	**Please note: Visible width 292mm (11.5")	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Supplied As	• Batten 4 3 Strips (Set) 2.5m² (27SF)	
Assembly & Delivery	Ships Flat Packed. Refer Installation instructions.	
	Recommended 2 People assembly	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	Visit FAQ for more details.	
Customisable	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	
Additional Comments	NRC 0.45	



Acoustics » Acoustic Panels

How to Specify 1. Select Design 2. Select Zintra Colour

1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Acoustic Panels

Colour & Finish Options

Zintra 12mm Solid PET





Acoustics » Acoustic Panels



Eucalyptus

Ironbark

Merbau

Spotted Gum

