Acoustics » Acoustic Panels




Brand: **Zintra** Collections: **3D Panel** Applications: **Walls**


1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Acoustic Panels



3D Wall Panels Battens 2-4-6 Premium Wood - Palm Wood



3D Panel Batten Close up



3D Panel Batten 6 Detail



1300 306 399 info@baresque.com.au baresque.com.au

Acoustics » Acoustic Panels

Zintra 3D Panels Batten 6 offer both an intriguing design element and functional acoustic enhancement. Add depth and design to flat surfaces which absorb sound and cancel out soundwaves.

| ✓ Acoustic✓ Easy Install | ✓ Bleach Cleanable | ✓ Easy Clean | |
|---|---|---|--|
| Description | Seamlessly joined, our 3D Wall Panels offer both an intriguing design element and functional acoustic enhancement for straight or curved walls. These narrow panels boast a small pattern repeat, facilitating easy adjustment for wall-to-wall fitting without the need for custom drawings. | | |
| | pattern. Designed to bring a touch o your space. Featuring alternating wi | e timeless appeal of the board and batten of architectural elegance and visual interest to de boards and vertical battens, this captivating ured surface. Its classic yet versatile design nd character to any project. | |
| | Also Available in Batten 2, Batten 4 and Peaks design | | |
| | of angular protrusions arranged in a | aks of mountains. This panel features a series symmetrical pattern, creating a dynamic and and intricate design make it suitable for a offices and conference rooms to | |
| | serves a functional purpose by enha | ribute to the aesthetics of a space, but it also ancing sound absorption and cancelling out Is depth and dimension to flat surfaces, tivating focal points. | |
| | Not suitable as a free standing prod | uct. | |
| Composition | Zintra Acoustic Panel - 100% Solutio | on Dyed (Colour Through) Polyester | |
| | 12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft² | | |
| Sustainability | Zintra is made from 100% recyclable materials. | | |
| | 60% post-consumer recycled content from PET bottles. | | |
| | 35% pre-consumer recycled content from PET chips | | |
| | • 5% polylactic acid (PLA) | | |
| | | | |



Acoustics » Acoustic Panels

| Dimensions | Batten 6: | |
|---------------------------|--|--|
| | • 3 strips / set, 2.5m ² (27SF) | |
| | • 305mm (12") w x 2745mm (108.1") h x 37mm (1.5") d / strip | |
| | **Please note: Visible width 292mm (11.5") | |
| Fire Rating | ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification | |
| Supplied As | • Batten 6 3 Strips (Set) 2.5m² (27SF) | |
| Assembly & Delivery | Ships Flat Packed. Refer Installation instructions. | |
| | Recommended 2 People assembly | |
| | Go to the Technical Documents and download the Installation Guide for more details. | |
| Suggested Installation | Go to Technical Documents and download the Installation Guide for more details. | |
| Care Instructions | Vacuum to remove dust. | |
| | Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. | |
| | For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. | |
| | Always test in an inconspicuous area first and if you don't see the expected results, contact us. | |
| Warranty | Visit FAQ for more details. | |
| Customisable | Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester | |
| | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| | 12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft² | |



Acoustics » Acoustic Panels

How to Specify

1. Select Design

2. Select Zintra Colour

1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Acoustic Panels

Colour & Finish Options

Zintra 12mm Solid PET





Acoustics » Acoustic Panels



Eucalyptus

Ironbark

Merbau

Spotted Gum

