Acoustics » Acoustic Panels



Brand: **Zintra** Collections: **Emboss Panel** Applications: **Walls**

1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Acoustic Panels



Emboss Panel Damask Detail Olive

Emboss Panel Damask Detail



Acoustics » Acoustic Panels

Introducing a touch of opulence to acoustic solutions, elevating spaces with both sound absorption and tactile sophistication with Zintra Emboss Panel Damask

 ✓ Acoustic ✓ Ecoveratell 	✓ Bleach Cleanable ✓ Easy	/ Clean
✓ Easy Install		
Description	Zintra Emboss Panels brings a touch of luxury to acoustic solutions, combining timeless craftsmanship with advanced technology. These tactile three-dimension panels create an immersive experience that transforms the ambiance of any space The warm heather of Zintra softens the environment, ensuring that even the most austere spaces feel inviting.	
	Designed for seamless installation, Zintra Emboss Panels can be installed both vertically or horizontally, offering versatile design possibilities. They provide more than just noise absorption—they tell a story with every surface. Their intricate patterns and dynamic visual effects shift with perspective, adding depth and warmth to any room, making conversations flow effortlessly without echoes or disturbances.	
	Damask is characterized by its intricate repeating mo appeal and regal aesthetic of traditional damask patter is characterized by its intricate repeating motif, creating grace.	erns, this captivating pattern
	Zintra Emboss panels offer a visual symphony that sp dash of enchantment to any environment.	arks imagination, adding a
	Please note, Zintra Emboss is suitable for single-sided	applications only.
	Available in 18 great designs.	
	Ascend Celium Constellation Corduroy Corduroy Jungle Linked Molecular Rivulet Sandglass Scall Tidal Tufted Woven	
	In hospitality, commercial, and care environments, Zin absorb sound – they elevate spaces with their luxurio designs, creating atmospheres that are as visually cap acoustically sound.	us textures and calming
	Please note: Zintra Emboss is suitable for single-side	d applications only.
	Don't just design spaces. Craft experiences.	
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour T	hrough) Polyester
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	



Acoustics » Acoustic Panels

Zintra is made from 100% recyclable materials.	
 60% post-consumer recycled content from PET bottles. 	
 35% pre-consumer recycled content from PET chips 	
 5% polylactic acid (PLA) 	
Available in 12mm (1/2") 2743mm (108") x 1118mm (44")	
"Emboss Panel patterns will align with a commercial tolerance of +/- 1mm. Panel thickness may vary by 15%. Pack as required to align face."	
ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
1 x Emboss Panel in selected pattern	
Utility knife and CNC with oscillating knife.	
Ships Flat Pack	
Go to the Technical Documents and download the Installation Guide for more details.	
Go to Technical Documents and download the Installation Guide for more details.	
Vacuum to remove dust.	
Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Visit FAQ for more details.	



Acoustics » Acoustic Panels

Additional Comments	NRC 0.35
How to Specify	1. Select Emboss design 2. Select Zintra Colour



Acoustics » Acoustic Panels

Colour & Finish Options

Zintra 12mm Solid PET





Acoustics » Acoustic Panels



Eucalyptus

Ironbark

Merbau

Spotted Gum

