

Acoustics » Acoustic Ceiling Features



Collections: Clouds

Applications: Ceilings

Acoustics » Acoustic Ceiling Features



Clouds Drante Detail

Acoustics » Acoustic Ceiling Features

A 3-dimensional floating design. Zintra Clouds Drante creates a stunning easy to assemble ceiling feature.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean				
Description	Zintra Acoustic Clouds are available in a unique range of shapes and forms constructed from pressure fit interlocking Zintra profiles. Easy to assemble and install, clouds will add drama to your space whilst simultaneously improving acoustics by utilising Zintra's powerful sound absorption properties.					
	Drante: Square grid where the grids intersect at an angle, forming an X in the center. Available in 2 sizes.					
	Available in 12 other great designs and multiple sizes					
	Blanchard Clochette Dome Concave Dome Convex Giffard Long Dome Concave Long Dome Convex Square Stratus Turbine Warp YooFoe					
	Longer Cables, multi-colour and Digital Print available for an additional fee.					
Composition	Zintra Acoustic Panel - 100% Solutio	on Dyed (Colour Through) Polyester				
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²					
Sustainability	Zintra is made from 100% recyclable materials.					
	 60% post-consumer recycled content from PET bottles. 					
	• 35% pre-consumer recycled content from PET chips					
	• 5% polylactic acid (PLA)					
Dimensions	Dome Convex: 1133mm (44.6") w x 1133mm (44.6") d x 300mm (11.8") h					
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification					
Supplied As	Flat Pack					
	Clouds include Adjustable					
	Cable Kit					



Acoustics » Acoustic Ceiling Features

Assem	blν	<i>'</i> &	Del	liveı	٢V
,	~ ,	~			,

Cloud components supplied flat pack.

Assembled cloud is then suspended from the ceiling using hanging hardware supplied.

Recommended 2 People assembly

Go to the Technical Documents and download the Installation Guide for more details.

Suggested Installation

Go to Technical Documents and download the Installation Guide for more details.

Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Warranty

Visit FAQ for more details.

Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Additional Comments

NRC Rating

- Without Air Gap: Up to 0.95
- With 24" (610mm) Air Gap: Up to 1.00

How to Specify

- 1. Select Design
- 2. Select Size
- 3. Select Zintra Colour



Colour & Finish Options

Zintra 12mm Solid PET







Acoustics » Acoustic Ceiling Features











Zintra Timber Print









Eucalyptus

Merbau

Spotted Gum

