
Acoustics » Acoustic Panels




Brand: Zintra Collections: Etch Panel Applications: Walls, Ceilings

1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Acoustic Panels



Etch Panel VJ Board Narrow 2

Etch Panel VJ Board Narrow Detail



Acoustics » Acoustic Panels

Explore the possibilities of spatial perception and artistic expression with Zintra Etch 3D panels, VJ Board Narrow design.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean	
Description	Zintra Etch, where acoustic absorption meets dynamic 3D design. With a range of subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic functionality to your commercial, hospitality, or institutional interior.		
	Discover the extensive selection of understated to statement Colours in Zintra Etch, allowing you to create a welcoming atmosphere while effectively managing sound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being. Zintra Etch seamlessly integrates with plain Zintra panels, offering versatility in design coordination. You can also explore the option of replicating your unique Etch pattern in Zintra on Zintra, for a truly customised solution.		
			Experience the benefits of Zintra Etch, including pattern matching with seamless hidden joins (excluding VJ Angle and Kaleido). The panel size enables join-free installations from floor to ceiling, making the fitting process effortless.
	VJ Board Narrow: Embrace classic elegance with VJ Board Narrow, where narrow vertical boards and subtle grooves come together in a timeless display of architectural grace.		
	Zintra Etch is available in 15 great designs		
	Craze Cubix Deviate Kaleido Lamella Reed Bed Sine Spectrum Tesselate Tetris Vino VJ Board Angle VJ Board Narrow VJ Board Wide Volta:		
		Etch is a 3mm deep V groove.	
	Not suitable as a free standing produ	ct.	
Composition	Zintra Acoustic Panel - 100% Solutior	n Dyed (Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²		
Sustainability	Zintra is made from 100% recyclable	materials.	
	 60% post-consumer recycled content from PET bottles. 		
	• 35% pre-consumer recycled conten	t from PET chips	
	• 5% polylactic acid (PLA)		
Dimensions	1219mm (48") x 2743mm (108") x 12mm (½") 80mm (3.1") centre to centre of etch		



Acoustics » Acoustic Panels

Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Supplied As	Zintra Etch panel in selected pattern	
Fabrication Techniques	Utility knife and CNC with oscillating knife.	
Assembly & Delivery	Ships Flat Pack	
	Install using one of these four common techniques.	
	1. Direct to the substrate	
	2. Z-Clips	
	3. Stand Offs	
	4. Mechanical Fastener	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.	
Care Instructions	Vacuum to remove dust. Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
Care Instructions	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm	
Care Instructions	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To	
Care Instructions Warranty	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.Always test in an inconspicuous area first and if you don't see the expected results,	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.Always test in an inconspicuous area first and if you don't see the expected results, contact us.	



Acoustics » Acoustic Panels

How to Specify	1. Select Etch design
	2. Select Zintra Colour

1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Acoustic Panels


Colour & Finish Options

Zintra 12mm Solid PET





Acoustics » Acoustic Panels



Zintra Premium Material



Acoustics » Acoustic Panels



Terracotta Sun Bleached

