
Acoustics » Acoustic Panels




Brand: **Zintra**

Collections: Texture Panel

Applications: Ceilings, Walls

Acoustics » Acoustic Panels



Texture Carre Detail



Texture Carre Panel

Acoustics » Acoustic Panels

Innovative 3-dimensional Zintra Texture Panel designs, from sleek lines to captivating patterns. Carre adds depth and style while enhancing acoustics. Ideal for modern or classic settings in bustling public spaces.

res offers subtle and end	
res offers subtle and end	
porates aspects that red	gaging 3-dimensional panel designs. Each duce echoes by changing the angle of sound nem ideal for noisy public spaces that need a
nel, but also the incredib	ghlight the fantastic acoustic qualities of Zintra le fabrication capabilities Zintra has to offer. blours slip easily into classic or modern
nce your space with inno design.	ovative style with the subtle 3-dimensional
but also provides excelle	ese design not only adds dimension to your ent acoustics. Zintra Textures, slip seamlessly ng a touch of innovation and sophistication to
15 designs	
les Corbe Diamont Dr ne Tessan Tissage Tr	roit Echelle Etoile Hexagone Nenuphar appe Vague
ur space with the innovat	tive style of Zintra Textures.
as a free standing produ	uct.
stic Panel - 100% Solutio	n Dyed (Colour Through) Polyester
") - Density 2.4 kg/m² 0.	.5 lb/ft²
- Density 3.6 kg/m ² 0.7	5 lb/ft²
de from 100% recyclable	materials.
consumer recycled conte	ent from PET bottles.
onsumer recycled conter	nt from PET chips
tic acid (PLA)	
(onsumer recycled conter



Dimensions

1219mm (48") x 2743mm (108") x 24mm (1")

Acoustics » Acoustic Panels

Fire Rating	ASTM-E84 – Class A classification
	AS ISO 0705 2002 Croup 1 placeification

AS ISO 9705 – 2003 – Group 1 classification

EN-13501 - B-s2-d0 classification

Supplied As Zintra Textures panel in selected pattern.

Assembly & Delivery Ships Flat Pack

Go to the Technical Documents and download the Installation Guide for more

details.

To install with an air gap, Zintra Texture Panel must be laminated to a solid backer. (MDF etc., to allow the push outs to extend from the panel) to allow for the air gap.

Suggested Installation Go to Technical Documents and download the Installation Guide for more details.

Care Instructions Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm

water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results,

contact us.

Warranty Visit FAQ for more details.

Customisable The Zintra Acoustic Solutions range is customisable to your project. Please get in

touch with your local contact for details.

Additional Comments NRC 0.45-0.90

How to Specify 1. Select Texture design

2. Select Zintra Colour



Colour & Finish Options

Zintra 12mm Solid PET







Acoustics » Acoustic Panels



Slate









Twilight

