
Acoustics » Acoustic Panels



Brand: Zintra Collections: Texture Panel Applications: Ceilings, Walls

1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Acoustic Panels



Texture Echelle Detail



Texture Echelle Panel

1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Acoustic Panels

Innovative 3-dimensional Zintra Texture Panel designs, from sleek lines to captivating patterns. Echelle adds depth and style while enhancing acoustics. Ideal for modern or classic settings in bustling public spaces.

✓ Acoustic✓ Easy Clean	✓ Bleach Cleanable	✓ Easy Install
Description	Zintra Textures offers subtle and engaging 3-dimensional panel designs. Each design incorporates aspects that reduce echoes by changing the angle of sound reflecting off the surface. It makes them ideal for noisy public spaces that need a little flair.	
	Zintra Acoustic Textures not only highlight the fantastic acoustic qualities of Zintra Acoustic Panel, but also the incredible fabrication capabilities Zintra has to offer. Zintra's wide range of designs and colours slip easily into classic or modern settings. Echelle: The interplay of horizontal and vertical lines forms a captivating rhythm, evoking a sense of movement and depth.	
	The subtle 3-dimensional relief of these designs not only adds dimension to your surrounding but also provides excellent acoustics. Zintra Textures, slip seamlessly into classic or modern settings, adding a touch of innovation and sophistication to noisy public spaces.	
	Available in 15 designs	
	Carre Cercles Corbe Diamont Droit Echelle Etoile Hexagone Nenuphar Paume Signe Tessan Tissage Trappe Vague	
	Enhance your space with the innovative style of Zintra Textures.	
	Not suitable as a free standing produ	uct.
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester	
	• 12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	
	• 24mm (1") - Density 3.6 kg /m² 0.7	′5 lb/ft²
Sustainability	Zintra is made from 100% recyclable	materials.
	 60% post-consumer recycled content from PET bottles. 	
	 35% pre-consumer recycled content from PET chips 	
	• 5% polylactic acid (PLA)	
Dimensions	1219mm (48") x 2743mm (108") x 24mm (1")	



Acoustics » Acoustic Panels

Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Supplied As	Zintra Textures panel in selected pattern.	
Assembly & Delivery	Ships Flat Pack	
	Go to the Technical Documents and download the Installation Guide for more details.	
	To install with an air gap, Zintra Texture Panel must be laminated to a solid backer. (MDF etc., to allow the push outs to extend from the panel) to allow for the air gap.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	Visit FAQ for more details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	NRC 0.45-0.90	
How to Specify	1. Select Texture design	
	2. Select Zintra Colour	



Acoustics » Acoustic Panels

Colour & Finish Options

Zintra 12mm Solid PET





Acoustics » Acoustic Panels



1300 306 399 info@baresque.com.au baresque.com.au

