
Acoustics » Acoustic Panels



Brand: **Zintra**

Collections: Texture Panel

Applications: Ceilings, Walls

Acoustics » Acoustic Panels



Texture Signe Detail



Texture Signe Panel

Acoustics » Acoustic Panels

Innovative 3-dimensional Zintra Texture Panel designs, from sleek lines to captivating patterns. Signe adds depth and style while enhancing acoustics. Ideal for modern or classic settings in bustling public spaces.

✓ Acoustic	Bleach Cleanable	✓ Easy Install	
✓ Easy Clean			
Description	Zintra Textures offers subtle and engaging 3-dimensional panel designs. Each design incorporates aspects that reduce echoes by changing the angle of sound reflecting off the surface. It makes them ideal for noisy public spaces that need a little flair.		
	Zintra Acoustic Textures not only highlight the fantastic acoustic qualities of Zintra Acoustic Panel, but also the incredible fabrication capabilities Zintra has to offer. Zintra's wide range of designs and colours slip easily into classic or modern settings.		
	Signe : Bold and expressive abstract forms create a visually engaging and thought provoking statement. Unleash your artistic flair.		
	The subtle 3-dimensional relief of these designs not only adds dimension to your surrounding but also provides excellent acoustics. Zintra Textures, slip seamlessly into classic or modern settings, adding a touch of innovation and sophistication to noisy public spaces.		
	Available in 15 designs		
	Carre Cercles Corbe Diamont Droit Echelle Etoile Hexagone Nenuphar Paume Signe Tessan Tissage Trappe Vague		
	Enhance your space with the innovation	ve style of Zintra Textures.	
	Not suitable as a free standing produc	ct.	
Composition	Zintra Acoustic Panel - 100% Solution	Dyed (Colour Through) Polyester	
	• 12mm (1/2") - Density 2.4 kg /m ² 0.5	lb/ft²	
	• 24mm (1") - Density 3.6 kg/m² 0.75	lb/ft²	
Sustainability	Zintra is made from 100% recyclable n	naterials.	
	60% post-consumer recycled content from PET bottles.		
	35% pre-consumer recycled content from PET chips		
	• 5% polylactic acid (PLA)		



Dimensions

info@baresque.com.au

1300 306 399



1219mm (48") x 2743mm (108") x 24mm (1")

Acoustics » Acoustic Panels

Fire Rating

	EN-13501 – B-s2-d0 classification	
Supplied As	Zintra Textures panel in selected pattern.	
Assembly & Delivery	Ships Flat Pack	
	Go to the Technical Documents and download the Installation Guide for more details.	
	To install with an air gap, Zintra Texture Panel must be laminated to a solid backer. (MDF etc., to allow the push outs to extend from the panel) to allow for the air gap.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	

ASTM-E84 - Class A classification

AS ISO 9705 - 2003 - Group 1 classification

Wa	rra	nty
----	-----	-----

Visit FAQ for more details.

Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Always test in an inconspicuous area first and if you don't see the expected results,

NRC 0.45-0.90

contact us.

How to Specify

Additional Comments

1. Select Texture design

2. Select Zintra Colour




Colour & Finish Options

Zintra 12mm Solid PET





Acoustics » Acoustic Panels











Twilight