
Acoustics » Acoustic Panels



Brand: Zintra Collections: Organic Etch Panel Applications: Walls, Ceilings

1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Acoustic Panels

# Simple, tactile, and imperfectly perfect is how we describe our twelve Zintra Organic Etch designs. Introducing Ceramic, a contemporary take on glazed tiles.

Description	Drawing inspiration from the craftsmanship of skilled artisans, Organic Etch effortlessly blends human creativity with the beauty of the natural world. Organic Etch panels not only enhance interior spaces with design and depth but also offer superior acoustics. Available in a diverse range of designs and choice of colours, each tells a story of simplicity, tactility, and imperfect perfection.
	Ceramic: A contemporary take on glazed tiles, Organic Etch Ceramic tiles convey a sense of simplicity and tactile charm. The pattern and textured surface offer a modern interpretation of traditional ceramic tiles, adding subtle yet sophisticated detail to any space.
	Embrace imperfection and unlock the beauty of organic design. With a choice of 30 colours, lightweight and easy to cut Organic Etch is the perfect acoustic alternative to traditional commercial wallcoverings.
	Available in 12 contemporary designs
	Ceramic   Herringbone Stripe   Offset   Plaid   Rivers Horizontal   Rivers Vertical   Stacked  Stacked Plain   Stream Horizontal   Stream Vertical   Stripe   Twitch
	Explore our twelve Organic Etch designs, each a contemporary interpretation. From the geometric design of Herringbone Stripe to the iconic box layout of Plaid, our panels bring texture and dimension to any space. Organic Etch Rivers captures the fluidity of nature with converging and diverging lines, while Organic Etch Stream evokes the tranquillity of flowing water. Partner patterns like Organic Etch Stacked and Stacked Plain to create coordinated designs, adding further depth to your environment.
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester
·	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²
Sustainability	Zintra is made from 100% recyclable materials.
	<ul> <li>60% post-consumer recycled content from PET bottles.</li> </ul>
	<ul> <li>35% pre-consumer recycled content from PET chips</li> </ul>
	• 5% polylactic acid (PLA)
Dimensions	Available in 12mm (1/2") ONLY
	1219mm (48") w x 2743mm (108") h x 12mm (1/2") d



Acoustics » Acoustic Panels

Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Supplied As	Flat Pack
	Zintra Organic Etch panel.
Assembly & Delivery	Ships Flat Pack
	Install using one of these four common techniques.
	1. Direct to the substrate
	2. Z-Clips
	3. Stand Offs
	4. Mechanical Fastener
	Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	Visit FAQ for more details.
Additional Comments	NRC 0.45 -0.75
How to Specify	1. Select Organic Etch Design
	2. Select Zintra Colour



Acoustics » Acoustic Panels

#### **Colour & Finish Options**

#### Zintra 12mm Solid PET





Acoustics » Acoustic Panels

