Acoustics » Acoustic Panels



Brand: **Zintra**

Collections: Organic Etch Panel

Applications: Walls, Ceilings

Acoustics » Acoustic Panels

Simple, tactile, and imperfectly perfect is how we describe our twelve Zintra Organic Etch designs. Introducing Stream, the continuous vertical lines emulate the beauty of free-flowing water.

Description

Drawing inspiration from the craftsmanship of skilled artisans, Organic Etch effortlessly blends human creativity with the beauty of the natural world. Organic Etch panels not only enhance interior spaces with design and depth but also offer superior acoustics. Available in a diverse range of designs and choice of colours, each tells a story of simplicity, tactility, and imperfect perfection.

Stream: Captures the beauty of free-flowing water with continuous lines flowing across the panel. Available in vertical and horizontal orientations, this design imparts a sense of tranquility and varying height to allow light to reflect beautifully.

Embrace imperfection and unlock the beauty of organic design. With a choice of 30 Colours, lightweight and easy to cut Organic Etch is the perfect acoustic alternative to traditional commercial wallcoverings.

Available in 12 contemporary designs

Ceramic | Herringbone Stripe | Offset | Plaid | Rivers Horizontal | Rivers Vertical | Stacked | Stacked Plain | Stream Horizontal | Stream Vertical | Stripe | Twitch

Explore our twelve Organic Etch designs, each a contemporary interpretation. From the geometric design of Herringbone Stripe to the iconic box layout of Plaid, our panels bring texture and dimension to any space. Organic Etch Rivers captures the fluidity of nature with converging and diverging lines, while Organic Etch Stream evokes the tranquillity of flowing water. Partner patterns like Organic Etch Stacked and Stacked Plain to create coordinated designs, adding further depth to your environment.

Composition

Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester

12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²

Sustainability

Zintra is made from 100% recyclable materials.

- 60% post-consumer recycled content from PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% polylactic acid (PLA)

Dimensions

Available in 12mm (1/2") ONLY

1219mm (48") w x 2743mm (108") h x 12mm (1/2") d

Fire Rating

ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification

EN-13501 - B-s2-d0 classification

1300 306 399 info@baresque.com.au



Acoustics » Acoustic Panels

Supplied As	Flat Pack
-------------	-----------

Zintra Organic Etch panel.

Assembly & Delivery

Ships Flat Pack

Install using one of these four common techniques.

1. Direct to the substrate

2. Z-Clips

3. Stand Offs

4. Mechanical Fastener

Go to the Technical Documents and download the Installation Guide for more

details.

Suggested Installation

Go to Technical Documents and download the Installation Guide for more details.

Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

water. Repeat using only clean water, then put any with a line free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results,

contact us.

Warranty

Visit FAQ for more details.

Additional Comments

NRC 0.45 -0.75

How to Specify

- 1. Select Organic Etch Design
- 2. Select Zintra Colour



Acoustics » Acoustic Panels

Colour & Finish Options


Zintra 12mm Solid PET







Acoustics » Acoustic Panels











Twilight

