Acoustics » Tiles



Brand: Zintra

Collections: Plain Tiles

Applications: Walls



Acoustics » Tiles



Plain Tiles Diamond Detail

21 Tile Assembly



Assembly Suggestions Plain Tiles Diamond

Acoustics » Tiles

Transform your space with Zintra Plain Tiles, Diamond. Silence unwanted distractions and foster a serene and productive environment. Sold in sets.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean
Description	Explore endless design possibilities by mixing and matching Zintra Etch and Plain Tiles. With a diverse range of shapes and a vibrant colour palette, you have the freedom to select from a spectrum of hues, bringing your design vision to life and creating an acoustically minded space.	
	Experience Effortless Installation with our lightweight and seamless Zintra tiles, ensuring a smooth and hassle-free process. Whether installed wall to wall or as captivating feature artwork, they're the perfect fit for any commercial, educational, or hospitality setting, seamlessly merging aesthetics with acoustic excellence.	
	Diamond*	
	Showcases a series of interlocking diamond-shaped tiles, creating a visually striking and dynamic design. With their sleek lines and geometric precision, Diamond Tiles add a sense of modern style and visual intrigue to any interior.	
	Available in 14 designs (Includes Tablet – available in 3 sizes)	
	Battleaxe* Chevon* Diamond* F Parallelogram Plank* Rectangle	Herringbone* Hexagon* Hourglass* Jigsaw Square* Tablet
	* Notes designs available in both Plain and Etch.	
	Tiles are sold in sets.	
	Not suitable as a free-standing pro	duct.
Composition	Zintra Acoustic Panel - 100% Solut	ion Dyed (Colour Through) Polyester
	12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	
Sustainability	Zintra is made from 100% recyclab	le materials.
	 60% post-consumer recycled content from PET bottles. 	
	• 35% pre-consumer recycled content from PET chips	
	• 5% polylactic acid (PLA)	
Dimensions	Diamond: 20 Tiles / set, 2.4m² (25.8 SF) 600mm (23.62") h x 400mm (15.75") w	



Acoustics » Tiles

Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Supplied As	• Diamond:	
	• 20 tiles / set, 2.4m² (25.8 SF)	
Assembly & Delivery	Ships Flat Packed.	
	Supplied as a set of individual tiles.	
	Arrange as required.	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	Visit FAQ for more details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	NRC 0.45-0.75	
	Directly Mounted	
How to Specify	1. Select Design	
	2. Select Zintra Colour	

4 of 7



Colour & Finish Options


Zintra 12mm Solid PET







Acoustics » Tiles



Concrete Cast

6 of 7

Concrete Polished

Raku Luster

Raku Jade

Concrete Dark Tint

Acoustics » Tiles



Terracotta Sun Bleached



Terracotta Mission



Terracotta Antique

Zintra Premium Wood



Knotty Pine



Maple



Poplar



Australian Walnut



Claro Walnut



Palm Wood



Rustic Walnut



Cherry



Euro Beech



Lacewood



Redwood



White Oak

