Acoustics » Tiles



Brand: **Zintra** Collections: **Plain Tiles** Applications: **Walls**

1300 306 399 info@baresque.com.au baresque.com.au



Acoustics » Tiles

Transform your space with Zintra Plain Tiles, Plank. Silence unwanted distractions and foster a serene and productive environment. Sold in sets.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean	
Description	Explore endless design possibilities by mixing and matching Zintra Etch and Plain Tiles. With a diverse range of shapes and a vibrant colour palette, you have the freedom to select from a spectrum of hues, bringing your design vision to life and creating an acoustically minded space.		
Experience Effortless Installation with our ligh ensuring a smooth and hassle-free process. W captivating feature artwork, they're the perfec or hospitality setting, seamlessly merging aes		process. Whether installed wall to wall or as the perfect fit for any commercial, educational,	
	Plank*		
	Inspired by the beauty of natural wood, Plank brings a touch of warmth and organic elegance to your space. This captivating pattern showcases a series of interlocking planks, creating a visually stunning and versatile design.		
	Available in 14 designs (Includes Tablet – available in 3 sizes)		
	Battleaxe* Chevon* Diamond* Herringbone* Hexagon* Hourglass* Jigsaw Parallelogram Plank* Rectangle Square* Tablet		
	* Notes designs available in both Plain and Etch.		
	Tiles are sold in sets.		
	Not suitable as a free-standing proc	duct.	
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester		
	12mm (1/2") - Density 2.4 kg /m² 0.5	5 lb/ft²	
Sustainability	Zintra is made from 100% recyclable materials.		
	 60% post-consumer recycled content from PET bottles. 		
	 35% pre-consumer recycled content from PET chips 		
	• 5% polylactic acid (PLA)		
Dimensions	Plank: 26 Tiles / set, 3.1m² (33.5 SF) 600mm x (23.62") h x 200mm (7.87') w		



Acoustics » Tiles

Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Supplied As	• Plank:	
	• 26 tiles / set, 3.1m ² (33.5 SF)	
Assembly & Delivery	• Ships Flat Packed.	
	 Supplied as a set of individual tiles. 	
	• Arrange as required.	
	Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	ions Vacuum to remove dust.	
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	Visit FAQ for more details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	NRC 0.45-0.75	
	Directly Mounted	
How to Specify	1. Select Design	
	2. Select Zintra Colour	



Acoustics » Tiles


Colour & Finish Options

Zintra 12mm Solid PET





Acoustics » Tiles





Acoustics » Tiles







Terracotta Sun Bleached

Terracotta Mission

Terracotta Antique

Zintra Premium Wood



Knotty Pine



Rustic Walnut



Cherry



Australian Walnut



Euro Beech



Claro Walnut



Lacewood



Palm Wood

Redwood



White Oak



