
**Acoustics** » Acoustic Panels



Brand: **Zintra** 

Collections: Pattern Panel

Applications: Ceilings, Walls

**Acoustics** » Acoustic Panels



Pattern Panel Prose Multi



Pattern Panel Prose Detail

**Acoustics** » Acoustic Panels

Discover the 51 classic and contemporary designs available in Zintra Pattern Panels. Effortlessly elevate your space with style, texture, and superior sound absorption with Pattern Panel Prose.

✓ Bleach Cleanable	✓ Easy Clean
Zintra Patterns offers a broad range of classic can be used on their own, or in conjunction w acoustic screens and wall coverings.	
With virtually unlimited design options, each Zintra and paired with a matching or contrast achieve a unique aesthetic for walls or ceiling absorption and easy installation, while enjoying vibrant Colours to suit any space.	ing solid Zintra backing panel to s. Experience enhanced noise
<b>Prose,</b> a circular pattern	
Choose from 51 designs.	
Abhaya   Asiatic   Astra   Bengal   Bharata   Bh Devraj   Elephanta   Fishbone   Foliage   Gadiv Hex   Indus   Jacks   Kali   Kerala   Krishnan   L Marquise   Monsoon   Nadu   Noktalar   Origal Prose   Punto   Raja   Sakra   Sankaran   Sansk Age   Sutra   Telugu   Vanishing   Vedic   Wam	va   Garden Art   Ginkgo   Haimati   Links   Lost   Malini   Mandava   mi   Padmesh   Perdita   Pivot   Pixel   krit   Setro   Shard   Siptical   Stone
Not suitable as a freestanding product.	
Elevate your environment with style, texture, a harmonious ambiance with superior sound a	
Zintra Acoustic Panel - 100% Solution Dyed (	Colour Through) Polyester
12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²	
24mm (1" ) - Density 3.6 kg /m² 0.75 lb/ft²	
Zintra is made from 100% recyclable materials	S.
• 60% post-consumer recycled content from I	PET bottles.
• 35% pre-consumer recycled content from Pl	ET chips
• 5% polylactic acid (PLA)	
	Zintra Patterns offers a broad range of classic can be used on their own, or in conjunction w acoustic screens and wall coverings.  With virtually unlimited design options, each Zintra and paired with a matching or contrast achieve a unique aesthetic for walls or ceiling absorption and easy installation, while enjoyin vibrant Colours to suit any space.  Prose, a circular pattern  Choose from 51 designs.  Abhaya   Asiatic   Astra   Bengal   Bharata   BhDevraj   Elephanta   Fishbone   Foliage   Gadiv Hex   Indus   Jacks   Kali   Kerala   Krishnan   Lamarquise   Monsoon   Nadu   Noktalar   Origan Prose   Punto   Raja   Sakra   Sankaran   Sansk Age   Sutra   Telugu   Vanishing   Vedic   Wamm Not suitable as a freestanding product.  Elevate your environment with style, texture, a harmonious ambiance with superior sound a Zintra Acoustic Panel - 100% Solution Dyed (12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²  Zintra is made from 100% recyclable materials and the superior sound a Solution Post of the Solution



**Acoustics** » Acoustic Panels

Dimensions	Pattern Only
	1220mm (48") x 2745mm (108') x 12mm (1/2")
	Pattern on Backer
	1220mm (48") x 2745mm (108') x 24mm (1")
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Supplied As	Ships Flat Pack
	Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	Visit FAQ for more details.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.



Acoustics » Acoustic Panels

#### Additional Comments Patterns Only NRC Rating

- Directly Mounted: 0.45
- With 2" (50mm) Air Gap: 0.85
- With 6" (152mm) Air Gap: 0.90
- With 12" (305mm) Air Gap: 0.95

#### **Patterns on Backer NRC Rating**

- Directly Mounted: 0.75
- With 2" (50mm) Air Gap: 0.95
- With 6" (152mm) Air Gap: 1.0
- With 12" (305mm) Air Gap: 1.0

#### How to Specify

- 1. Select Pattern design
- 2. Select Pattern only or Pattern on Backer.
- 3. Select Zintra Colour.

If selecting backer please state which colour is the pattern layer and which is the backer.

### Colour & Finish Options

#### Zintra 12mm Solid PET







**Acoustics** » Acoustic Panels



Slate









Twilight