

Brand: **Bolta** 

Collections: Velvet

Applications: Walls



**Wallcoverings** » Commercial Wallcoverings

Bolta's Velvet, Velvet Arches, and Mylar Arches blend Art Deco opulence with modern flair, featuring rich velvet textures and 18 colourways for timeless elegance.

| <ul><li>✓ Bleach Cleanable</li><li>✓ HPD Certified</li></ul> | ✓ EPD Certified  | ✓ Low VOC  |  |
|--|--|--|--|
| Description  | Waltz into the world of Art Deco-i<br>and Mylar Arches.  | nspired design with Bolta's Velvet, Velvet Arches,   |  |
|  | The Velvet collection embodies a harmonious blend of opulence and contemporary flair, creating a captivating, luxurious narrative. |  |  |
|  |  | acing rich velvet textures on Velvet Arches and<br>lessly merge historical charm with modern   |  |
|  | Transitioning from refined surface each element contributes to an at   | es to an unexpected sheen that adds formal allure,<br>mosphere of timeless elegance.   |  |
|  | Velvet's 18 rich colorways invite yegrandeur and refinement that is u  | ou to express yourself, weaving a narrative of niquely yours.  |  |
| Composition  | Vinyl face on a woven backing 20   | oz (452 g/m²)  |  |
| Environmental Info   | Formaldehyde free  |  |  |
|  | Heavy metals free  |  |  |
|  | Perfluorooctanoic acid free  |  |  |
|  | No solvent inks  |  |  |
|  |  | ssipate quickly (faster than paint) through normal<br>d adverse impact on indoor air quality.  |  |
|  |  | need to be replaced regularly due to wear and oducts are ideal for helping keep commercial   |  |
|  | and federal regulations, provide a   | manufacturers that comply with applicable state factory that is safe and clean for its employees to ring the manufacturing process to minimize |  |
| Pattern Repeat Size  | Not Applicable   |  |  |
| Roll Size  | 137cm x 27.4m - Available by the l   | neal metre   |  |
| Weight   | 452 g/m²   |  |  |
|  |  |  |  |

1300 306 399 info@baresque.com.au



|   |    | <b>D</b> |        |
|---|----|----------|--------|
| _ | ro | Rating   | $\sim$ |
|   | -  | RAIIII   |        |
|   |    | I Vacili | ч      |

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification as required by the Building Code of

Australia for the control of fire spread on interior wall and ceiling linings.

The result achieved was: Classification - Group 2

Specific Extinction - Less than 250m<sup>2</sup>/kg

#### Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

### Suggested Installation

Reverse hang / Straight across match.

Baresque recommends and supplies Roman brand adhesives and primers.

#### Care Instructions

Use cloth with any of the following in preferred order of use:

- 1: Clear warm water
- 2: Mild solution of liquid detergent and warm water
- 3: Isopropyl Alcohol (a.k.a. rubbing alcohol)

Remove any detergent with a clean, damp cloth. Gently pat dry.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Do not use solvent based or concentrated abrasive cleaning agents, lacquer thinners or nail polish remover as these may cause discolouration over a period of time.

Always test in an inconspicuous area first.

If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.

#### Warranty

5-year warranty. Visit **baresque.com.au/warranty** for complete details.



## Colour & Finish Options

# COLOURWAY CARD






BB-VL-01 GREY



BB-VL-02-SHADOW



BB-VL-03 KOHL



BB-VL-04 CHALK



BB-VL-05 ASH



BB-VL-06 PEWTER



BB-VL-07 WHITE



BB-VL-08 OPAL



BB-VL-09 TAUPE



BB-VL-10 PUTTY



BB-VL-11 OATMEAL



BB-VL-12 CHOCOLATE



BB-VL-13 CAMEL



BB-VL-14 ROSE



BB-VL-15 CINNAMON



BB-VL-16 OLIVE



BB-VL-17 PACIFIC



BB-VL-18- NDIGO