

Brand: **Tekloom** 

Collection: Idyllic




# COLOURWAY CARD









GAIA COLOURWAY CARD











LUNAR

**METEOR** 

STELLA

**TERRA** 





Gaia, a Tekloom® fabric with a multi-colored dot pattern, is bleach-cleanable, soil- and stain-resistant, impermeable, and passes 1,000,000 double rubs for durability.

✓ Bleach Cleanable	✓ Phthalate Free	✓ HPD Certified
Description	Looking at a sky filled with stars, we see something greater than ourselves. Endless connections, countless moments of peace.	
	Decorated in multi-coloured dots, Gaia, meaning Mother Earth, seeks to capture the awe we experience gazing at the night sky.	
	This Tekloom® tripick, small dotted pa 1,000,000 double rubs, is inherently so cleanable.	attern, has an impermeable surface, passes oil and stain resistant, and is bleach-
Roll Size	137cm x Approx 45m - Available by the lineal metre	
Composition	88% Polyester , 12% Tekloom® TPE (Graffiti-Free®) Backing: Acrylic	
Abrasion	1,000,000+ Double Rubs (Wyzenbeek)	
Pattern Repeat Size	45cm V / 37cm H	
Environmental Info	PVC free	
	Phthalate Free	
	DMF Free	
	No added fire retardant	
	Anti-Bacterial	
	Healthier Hospitals compliant	
	Complies with CAL01351	
Fire Rating	Tested in accordance with AS1530.3	
	Spread of Flame Index - 0	
	Smoke Developed Index - 5	
Warranty	2-year warranty. Visit <b>baresque.com.au/warranty</b> for complete details.	



baresque.com.au



#### Fabrics » Woven Fabrics

## Lead Time

- 2-weeks (approx.) from Wednesday, subject to stock availability.
- Additional 1-week for Western Australia.
- Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.

### Care Instructions

While Tekloom® is inherently stain resistant, it is important to keep it clean at all times to maintain the original look and feel. Spot cleaning with a clean, soft towel with clean water will remove most of the everyday stains.

Cleaning Code: W/S, Bleach (10:1), Dry Care™

DISINFECTION

Tekloom can be disinfected with a 10:1 bleach dilution of water/bleach.

Apply the solution using a misting spray bottle and gently scrub the affected area with a sponge or soft bristle brush. Allow the mixture to linger for the time specified by the facility.

Avoid soaking the seamed area to prevent the bleach from penetrating thru the protective layer.

Rinse all cleaning agents thoroughly with water and wipe with a soft cloth

Residue left by cleaning agents will degrade and shorten the life and/or affect the product's appearance if not removed.

Always test in an inconspicuous area first.





# Colour & Finish Options

