


**VANISHING**  
 Zintra Patterns



Texture: 3  
 Lustre: 1  
 Transparency: 1

<p><b>DESCRIPTION / FEATURES</b></p>	<p>Baresque's popular acoustic solution has undergone a style update to bring you Zintra Patterns. Experience our range of classic to contemporary screen designs cut out of Zintra. The perforated panel can be installed as is or matching / contrasting Zintra backer added to create a unique look for walls or ceilings. In just the one product you will find style, texture, contrast, depth and the added benefit of sound absorption to create a harmonious environment.</p> <ul style="list-style-type: none"> <li>* Increased noise absorption</li> <li>* Easy installation</li> <li>* Broad range of neutral and bright colours</li> <li>* Co-ordinates with Baresque's range of screen designs</li> </ul> <p>Find out more about the Benefits of Zintra and its NRC rating on the <b>DOWNLOAD</b> tab.</p>
<p><b>BRAND SPEC</b></p>	<p>Zintra</p>

<b>HOW TO SPECIFY</b>	<ol style="list-style-type: none"> <li>1. Design</li> <li>2. Size</li> <li>3. Design Colour</li> <li>4. Backing Colour</li> </ol>
<b>COMPOSITION</b>	Zintra Acoustic Panel - 100% Polyester
<b>FIRE RATING</b>	<p>Zintra Acoustic Panel was tested in accordance with AS ISO 9705 " 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.</p> <p>The result achieved was:          Classification - Group 1          Specific Extinction - Less than 250m<sup>2</sup>/kg</p>
<b>SHEET SIZE</b>	<p>610mm x 610mm          1220mm x 610mm          2745mm x 1220mm</p> <p>Pattern only - 12mm          Pattern later on backer - 24mm</p>
<b>FINISHES AVAILABLE</b>	Zintra Panel - Matt. Check out the Zintra 12mm colour range <a href="#">here</a> or the DOWNLOAD tab for a pdf.
<b>INDOOR/OUTDOOR</b>	Indoor only
<b>WET AREAS</b>	No
<b>CUSTOMISABLE</b>	<p>Design - Yes          Colour - Yes          Contact Baresque for details</p>
<b>THERMOFORMABLE</b>	No

<b>LEAD TIME</b>	2-3 weeks + 1 week for Western Australia
<b>ADDITIONAL COMMENTS</b>	Not suitable as a free standing product. NRC - 0.45 - 0.95
<b>SUPPLIED AS</b>	Sheet ready to install
<b>FABRICATION</b>	Stanley knife if required
<b>SUGGESTED INSTALLATION</b>	<p>Check out the DOWNLOAD tab for a complete Handling and Installation guide.</p> <p>Be sure to support the panel during installation to avoid bowing or creasing.</p> <p>Adhere to substrate using contact adhesive, Liquid Nails or Z clips.</p> <p>Panel can also be mechanically fixed using details similar to glass fittings.</p>
<b>CARE INSTRUCTIONS</b>	Zintra
<b>REFINISHABLE</b>	No
<b>ENVIRONMENTAL INFORMATION</b>	Zintra

**CARE INSTRUCTIONS**

Remove spills immediately using damp, clean cloth.

Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently.

Repeat using only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.



**baresque.com.au**  
e info@baresque.com.au  
p 1300 306 399

<b>ENVIRONMENTAL INFORMATION</b>	Easily recycled through standard recycling channels
----------------------------------	---