

## CROSSHATCH - TPO

New Releases - Wallcoverings - Commercial



Texture: 1  
 Lustre: 1  
 Transparency: 1

<b>DESCRIPTION / FEATURES</b>	Crosshatch is a PVC-free TPO wallcovering that presents refined imprints of woven chiffon to subtle overlay of colors. Crosshatch is all about modern elegance. Matches and exceeds the durability and cleanability of Type II wallcovering.
<b>COMPOSITION</b>	TPO Technology (90% Thermoplastic Olefin, 10% Post Consumer Recycled Glass) on a non-woven backing
<b>WIDTH</b>	132cm
<b>ROLL LENGTH</b>	27.4m - Available by the lineal metre
<b>WEIGHT</b>	360 g/m <sup>2</sup>
<b>PATTERN REPEAT</b>	N/A
<b>SUGGESTED INSTALLATION</b>	Non-reverse hang / butt join. Baresque recommend and supply Roman brand adhesives and primers.
<b>LEAD TIME</b>	2 weeks (approx) from Wednesday subject to stock availability. + 1 week for Western Australia. Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.
<b>FIRE RATING</b>	In accordance with AS/NZS 3837 Classification - Group 2 Specific Extinction - Less than 250 m <sup>2</sup> /kg

<b>ADDITIONAL COMMENTS</b>	Bleach cleanable Antimicrobial
<b>CARE INSTRUCTIONS</b>	WC - TPO
<b>ENVIRONMENTAL INFORMATION</b>	TPO
<b>FIRE</b>	Baresque (CAR)
<b>CARE INSTRUCTIONS</b>	<p>Wipe material with a clean, soft cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then dry with a lint free cloth.</p> <p>Avoid using wax polishes, solvents or concentrated abrasives.</p> <p>For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.</p> <p>Rinse with a water dampened cloth to remove bleach concentration.</p>

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.



**baresque.com.au**  
e info@baresque.com.au  
p 1300 306 399

<b>ENVIRONMENTAL INFORMATION</b>	Free of PVC, chlorine, plasticizers, formaldehyde, heavy metals, ozone depleting chemicals and halogenated fire retardants  Use water based inks and coatings only  Meets the requirements of Section 01350 California State
----------------------------------	--

Building Guideline for Indoor Environmental and Air Quality

Safely Disposable