


Zig Zag - TPO

New Releases - Wallcoverings - Commercial



Texture: 1

Lustre: 1

Transparency: 1

BRAND SPEC	Baresque (CAR)
COMPOSITION	TPO Technology (90% Thermoplastic Olefin, 10% Post Consumer Recycled Glass) on a non-woven backing 360g/m ²
PATTERN REPEAT	28cm V / 66cm H
WEIGHT	360 g/m ²
FIRE RATING	In accordance with AS/NZS 3837 and AS 5637.1:2015 Classification - Group 2 Specific Extinction - Less than 250m ² /kg This product was deemed suitable for testing in accordance with AS 5637.1:2015 and testing was performed in accordance with AS/NZS 3837 for the purposes of Group Number Classification as specified in the NCC Volume One Specification C1.10 Clause 4.
WIDTH	132cm
ROLL LENGTH	27.4m - Available by the lineal metre
LEAD TIME	2 weeks (approx) from Wednesday subject to stock availability. + 1 week for Western Australia. Express delivery is available subject to a surcharge. Contact Baresque for details and pricing.



baresque.com.au
e info@baresque.com.au
p 1300 306 399

ADDITIONAL COMMENTS	Bleach cleanable Antimicrobial
SUGGESTED INSTALLATION	Non-reverse hang / butt join. Baresque recommend and supply Roman brand adhesives and primers.
CARE INSTRUCTIONS	WC - TPO
ENVIRONMENTAL INFORMATION	TPO

CARE INSTRUCTIONS

Wipe material with a clean, soft cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then dry with a lint free cloth.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Rub gently.

Rinse with a water dampened cloth to remove bleach concentration.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.



baresque.com.au
e info@baresque.com.au
p 1300 306 399

ENVIRONMENTAL INFORMATION	<p>Free of PVC, chlorine, plasticizers, formaldehyde, heavy metals, ozone depleting chemicals and halogenated fire retardants</p> <p>Use water based inks and coatings only</p> <p>Meets the requirements of Section 01350 California State Building Guideline for Indoor Environmental and Air Quality</p> <p>Safely Disposable</p>
----------------------------------	--